



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 00-038A
GTA ProjNo: 022222-4

Site Addr: DYAR 1-1

Sampled By: WPM/OMPC
Date Rec: 2/22/2022
Time Rec: 3:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-2	2/21/2022	11:20 AM	WATER
2	MW-7	2/21/2022	12:10 PM	WATER
3	MW-8	2/21/2022	1:30 PM	WATER
4	MW-9	2/21/2022	1:00 PM	WATER
5	MW-10	2/21/2022	1:45 PM	WATER
6	MW-11	2/21/2022	2:00 PM	WATER
7	MW-12	2/21/2022	11:00 AM	WATER
8	MW-14	2/21/2022	11:40 AM	WATER
9	MW-15	2/21/2022	2:20 PM	WATER
10	MW-16	2/21/2022	12:40 PM	WATER
11	MW-18	2/21/2022	2:40 PM	WATER
12	MW-19	2/21/2022	11:30 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 1
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 11:20 AM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	820	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 2
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-7						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	630	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 3
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8						
	CHLORIDE EPA 300.0	220	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	1,300	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 00-038A
 LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
 GTA SAMPLE NO: 4

DATE SAMPLED: 2/21/2022
 TIME SAMPLED: 1:00 PM

DATE RECEIVED: 2/22/2022
 TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-9						
	CHLORIDE EPA 300.0	26	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	610	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 5
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 1:45 PM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-10						
	CHLORIDE EPA 300.0	35	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	870	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

COMPANY: RIVERSIDE
 PROJECT NO: 00-038A
 LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
 GTA SAMPLE NO: 6
 DATE SAMPLED: 2/21/2022
 TIME SAMPLED: 2:00 PM
 DATE RECEIVED: 2/22/2022
 TIME RECEIVED: 3:20 PM

MI
 SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-11						
	CHLORIDE EPA 300.0	180	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	1,400	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 00-038A

LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4

GTA SAMPLE NO: 7

DATE SAMPLED: 2/21/2022

TIME SAMPLED: 11:00 AM

DATE RECEIVED: 2/22/2022

TIME RECEIVED: 3:20 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-12

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

TR

2/26/2022

WATER

640

1.0

uS/cm@25C

TR

2/26/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 8
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 11:40 AM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-14						
CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	2/26/2022	WATER
CONDUCTIVITY SM2510-B	450	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 9
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-15						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	590	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 00-038A

LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4

GTA SAMPLE NO: 10

DATE SAMPLED: 2/21/2022

TIME SAMPLED: 12:40 PM

DATE RECEIVED: 2/22/2022

TIME RECEIVED: 3:20 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-16

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

TR

2/26/2022

WATER

470

1.0

uS/cm@25C

TR

2/26/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 11

DATE SAMPLED: 2/21/2022
TIME SAMPLED: 2:40 PM

DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-18						
	CHLORIDE EPA 300.0	220	10	mg/L (PPM)	TR	2/26/2022	WATER
	CONDUCTIVITY SM2510-B	1,300	1.0	uS/cm@25C	TR	2/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 00-038A
LOCATION: DYAR 1-1

GTA PROJECT NO: 022222-4
GTA SAMPLE NO: 12
DATE SAMPLED: 2/21/2022
TIME SAMPLED: 11:30 AM
DATE RECEIVED: 2/22/2022
TIME RECEIVED: 3:20 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-19 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	2/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 00-038A	SITE NAME/ADDRESS Dyar 1-1	COMPANY/NAME Riverside
SAMPLED BY WPM	COMPANY DMPC	GTA PROJECT # 022222-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS			
	MW-2	2-21-22	1120	H ₂ O	Chlorides + Conductivity			
	MW-7	↓	1210	↓	↓			
	MW-8		1330					
	MW-9		1300					
	MW-10		1345					
	MW-11		1400					
	MW-12		1100					
	MW-14		1140					
	MW-15		1420					
	MW-16		1240					
	MW-18		1440					
	MW-19		1130					

NO CONC (not enough)

BILL TO:	TempRec: <input type="checkbox"/> 2.0°C	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO:
----------	--	--	------------

RELEASED BY [Signature]	DATE/TIME 2-22-22 1515	RECEIVED BY [Signature]	DATE/TIME 2/22/22 1520
-----------------------------------	----------------------------------	-----------------------------------	----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS