



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MUSKEGON DEVELOPMENT CORP.

Name:

ClientProj: 13.044

GTA ProjNo: 050520-14

Site Addr: PERCH LAKE

Sampled By: KIM WALLIS-BURKE/HURON

Date Rec: 5/5/2020

Time Rec: 12:40 PM

Sample No. Sample ID
1 OW-3

Date Sampled
5/1/2020

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MUSKEGON DEVELOPMENT CORP. GTA PROJECT NO: 050520-14
PROJECT NO: 13.044 GTA SAMPLE NO: 1
LOCATION: PERCH LAKE DATE SAMPLED: 5/1/2020
TIME SAMPLED:
DATE RECEIVED: 5/5/2020
TIME RECEIVED: 12:40 PM
MI
SAMPLED BY: KIM WALLIS-BURKE/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-3						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/5/2020	WATER
	CONDUCTIVITY SM2510-B	280	1.0	uS/cm@25C	LV	5/5/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

