



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BREITBURN OPERATING
Name:
ClientProj: 13.079
GTA ProjNo: 050219-3

Site Addr: SOUTH CAPLE

Sampled By: KWB/HURON
Date Rec: 5/2/2019
Time Rec: 12:08 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	4/30/2019		WATER
2	OW-4	4/30/2019		WATER
3	MW-5	4/30/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BREITBURN OPERATING
PROJECT NO: 13.079
LOCATION: SOUTH CAPLE
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 050219-3
GTA SAMPLE NO: 1
DATE SAMPLED: 4/30/2019
TIME SAMPLED:
DATE RECEIVED: 5/2/2019
TIME RECEIVED: 12:08 PM

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/6/2019	WATER
	CONDUCTIVITY SM2510-B	360	1.0	uS/cm@25C	LV	5/6/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BREITBURN OPERATING
PROJECT NO: 13.079
LOCATION: SOUTH CAPLE

GTA PROJECT NO: 050219-3
GTA SAMPLE NO: 2
DATE SAMPLED: 4/30/2019
TIME SAMPLED:
DATE RECEIVED: 5/2/2019
TIME RECEIVED: 12:08 PM

MI
SAMPLED BY: KWB/HURON

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/6/2019	WATER
	CONDUCTIVITY SM2510-B	480	1.0	uS/cm@25C	LV	5/6/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BREITBURN OPERATING
PROJECT NO: 13.079
LOCATION: SOUTH CAPLE
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 050219-3
GTA SAMPLE NO: 3
DATE SAMPLED: 4/30/2019
TIME SAMPLED:
DATE RECEIVED: 5/2/2019
TIME RECEIVED: 12:08 PM

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/6/2019	WATER
	CONDUCTIVITY SM2510-B	440	1.0	uS/cm@25C	LV	5/6/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	BREITBURN OPERATING	GTA PROJECT NO:	050219-3
NAME:		GTA SAMPLE NO:	3
PROJECT NO:	13.079	DATE SAMPLED:	4/30/2019
LOCATION:	SOUTH CAPLE	TIME SAMPLED:	
		DATE RECEIVED:	5/2/2019
		TIME RECEIVED:	12:08 PM
SAMPLED BY:	MI KWB/HURON		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
	SAMPLE ID: MW-5							
	SAMPLE MATRIX: WATER							
	TRIETHYLENE GLYCOL EPA 8015M	ND	4.0	mg/L (PPM)	KC/TR	5/3/2019	5/9/2019	EPA 3511

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

