



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 19.026

GTA ProjNo: 041922-9

Site Addr: USA MENTOR C2-34

Sampled By: KWB/HURON

Date Rec: 4/19/2022

Time Rec: 2:00 PM

Sample No. Sample ID
1 MP1

Date Sampled
4/12/2022

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.026
LOCATION: USA MENTOR C2-34
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MP1

GTA PROJECT NO: 041922-9
GTA SAMPLE NO: 1
DATE SAMPLED: 4/12/2022
TIME SAMPLED:
DATE RECEIVED: 4/19/2022
TIME RECEIVED: 2:00 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/20/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.026
LOCATION: USA MENTOR C2-34
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 041922-9
GTA SAMPLE NO: 1
DATE SAMPLED: 4/12/2022
TIME SAMPLED:
DATE RECEIVED: 4/19/2022
TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MP1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/22/2022	WATER
	CONDUCTIVITY SM2510-B	39	1.0	uS/cm@25C	TR	4/22/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

SemiAnnual Tertiary Containment Monitoring

PROJECT NUMBER (Huron) 19.026	SITE NAME/ADDRESS/LOCATION USA Mentor C2-34	COMPANY/NAME Lambda Energy Resources, LLC
SAMPLED BY Kim Wallis-Burke	COMPANY Huron Engineering & Surveying, Inc.	GTA PROJECT # 041922-9

SAMPLE INFORMATION

[illegible]

BILL TO: Lambda Energy Resources, Nick Summerland (nsummerland@lambdaenergyllc.com)

REPORT TO: Huron Engineering & Surveying, Kim Wallis-Burke (kim.wallis-burke@huronesi.com)

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Timberly Waller Burke		Alpena UPS	4/19/22 p
		SV	4/19/22 2:00
			re 3.0°C mic

REQUESTED TAT ☒ **STANDARD** ☐ **1 BUSINESS DAY** ☐ **2 BUSINESS DAYS** ☐ **3 BUSINESS DAYS**