



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 19.032

GTA ProjNo: 051519-11

Site Addr: TIMM UNIT

Sampled By: KWB/HURON

Date Rec: 5/15/2019

Time Rec: 12:40 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	5/8/2019		WATER
2	MW-6	5/8/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.032
LOCATION: TIMM UNIT
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 051519-11
GTA SAMPLE NO: 1
DATE SAMPLED: 5/8/2019
TIME SAMPLED:
DATE RECEIVED: 5/15/2019
TIME RECEIVED: 12:40 PM

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-1						
	CHLORIDE EPA 300.0	25	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	810	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.032
LOCATION: TIMM UNIT
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 051519-11
GTA SAMPLE NO: 2
DATE SAMPLED: 5/8/2019
TIME SAMPLED:
DATE RECEIVED: 5/15/2019
TIME RECEIVED: 12:40 PM

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-6						
	CHLORIDE EPA 300.0	11	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	860	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

PROJECT NUMBER (Huron) 19.032	SITE NAME/ADDRESS/LOCATION Timm Unit	COMPANY/NAME Lambda Energy Resources, LLC
SAMPLED BY Kim Wallis-Burke	COMPANY Huron Engineering & Surveying, Inc.	GTA PROJECT # 051519-71

[illegible]

BILL TO: Lambda Energy Resources, Nick Summerland (nsummerland@lambdaenergyllc.com)

REPORT TO: Huron Engineering & Surveying, Kim Wallis-Burke (kim.wallis-burke@huronesi.com)

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Timberly Swales Burke		UPS	5/14/19
		A 27	5/15/19 12:40

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS