



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100023.01

GTA ProjNo: 120823-2

Site Addr: EDWARDS 1-22A HD-1

Sampled By: JOSHUA GERRIE/GCES

Date Rec: 12/8/2023

Time Rec: 12:35 PM

Sample No. Sample ID
1 MW-3

Date Sampled
12/8/2023

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100023.01
LOCATION: EDWARDS 1-22A HD-1
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3
GTA PROJECT NO: 120823-2
GTA SAMPLE NO: 1
DATE SAMPLED: 12/8/2023
TIME SAMPLED:
DATE RECEIVED: 12/8/2023
TIME RECEIVED: 12:35 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/12/2023	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100023.01
LOCATION: EDWARDS 1-22A HD-1
MI
SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 120823-2
GTA SAMPLE NO: 1
DATE SAMPLED: 12/8/2023
TIME SAMPLED:
DATE RECEIVED: 12/8/2023
TIME RECEIVED: 12:35 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-3						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	12/13/2023	WATER
	CONDUCTIVITY SM2510-B	370	1.0	uS/cm@25C	TR	12/12/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 2018100023.01	SITE NAME/ADDRESS Edwards 1-22A HD-1	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Gerrie	COMPANY Gosling Czubak	GTA PROJECT # 20823-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-3	12-8-23		GW	BTEX, Chloride, & Sp. Cond.

BILL TO: Lambda Energy Resources	TempRec: ☐ 1.30C	On Ice? ☒ Y ☐ N	REPORT TO: Eric Vincke
RELEASED BY [Signature]	DATE/TIME 12-8-23 1235	RECEIVED BY [Signature]	DATE/TIME 12/8/23 1235
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			