

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100106

GTA ProjNo: 083024-3

Site Addr: HAYES 22

Sampled By: JFR/GCES

Date Rec: 8/30/2024

Time Rec: 1:05 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	RW-202	8/30/2024	9:15 AM	WATER
2	MW-135D3	8/30/2024	9:35 AM	WATER
3	MW-136D3	8/30/2024	9:45 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	083024-3
PROJECT NO:	2018100106	GTA SAMPLE NO:	1
LOCATION:	HAYES 22	DATE SAMPLED:	8/30/2024
		TIME SAMPLED:	9:15 AM
		DATE RECEIVED:	8/30/2024
	MI	TIME RECEIVED:	1:05 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-202	SAMPLED BY:	JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106
LOCATION: HAYES 22
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-135D3

GTA PROJECT NO: 083024-3
GTA SAMPLE NO: 2
DATE SAMPLED: 8/30/2024
TIME SAMPLED: 9:35 AM
DATE RECEIVED: 8/30/2024
TIME RECEIVED: 1:05 PM
SAMPLED BY: JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	083024-3
PROJECT NO:	2018100106	GTA SAMPLE NO:	3
LOCATION:	HAYES 22	DATE SAMPLED:	8/30/2024
		TIME SAMPLED:	9:45 AM
		DATE RECEIVED:	8/30/2024
	MI	TIME RECEIVED:	1:05 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-136D3	SAMPLED BY:	JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083024-3

PROJECT NO: 2018100106

GTA SAMPLE NO: 1

LOCATION: HAYES 22

DATE SAMPLED: 8/30/2024

TIME SAMPLED: 9:15 AM

DATE RECEIVED: 8/30/2024

TIME RECEIVED: 1:05 PM

MI

SAMPLED BY: JFR/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: **RW-202**

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/9/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083024-3

PROJECT NO: 2018100106

GTA SAMPLE NO: 2

LOCATION: HAYES 22

DATE SAMPLED: 8/30/2024

TIME SAMPLED: 9:35 AM

DATE RECEIVED: 8/30/2024

TIME RECEIVED: 1:05 PM

MI

SAMPLED BY: JFR/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-135D3

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

15

10

mg/L (PPM)

KC/TR

9/9/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100106

LOCATION: HAYES 22

MI
SAMPLED BY: JFR/GCES

GTA PROJECT NO: 083024-3

GTA SAMPLE NO: 3

DATE SAMPLED: 8/30/2024

TIME SAMPLED: 9:45 AM

DATE RECEIVED: 8/30/2024

TIME RECEIVED: 1:05 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-136D3

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
14	10	mg/L (PPM)	KC/TR	9/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

