

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100106.01

GTA ProjNo: 052722-19

Site Addr: HAYES 22 CPF

Sampled By: JOSHUA GERRIE/GCES

Date Rec: 5/27/2022

Time Rec: 3:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-204	5/27/2022	9:30 AM	WATER
2	MW-206	5/27/2022	10:00 AM	WATER
3	MW-203	5/27/2022	10:33 AM	WATER
4	MW-202	5/27/2022	11:05 AM	WATER
5	MW-205	5/27/2022	11:51 AM	WATER
6	MW-201	5/27/2022	12:23 PM	WATER
7	MW-207S	5/27/2022	1:06 PM	WATER
8	MW-207D	5/27/2022	1:41 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-204

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 1
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 9:30 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-206

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 2
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-203

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 3
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 10:33 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-202

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 4
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 11:05 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-205

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 5
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 11:51 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-201

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 6
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 12:23 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-207S

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 7
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 1:06 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-207D

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 8
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 1:41 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-204

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 1
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 9:30 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-206

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 2
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	0.17	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	0.0026	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-203

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 3
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 10:33 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-202

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 4
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 11:05 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-205

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 5
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 11:51 AM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	0.088	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	0.0022	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-201

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 6
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 12:23 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-207S

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 7
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 1:06 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	0.014	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JOSHUA GERRIE/GCES
SAMPLE ID: MW-207D

GTA PROJECT NO: 052722-19
GTA SAMPLE NO: 8
DATE SAMPLED: 5/27/2022
TIME SAMPLED: 1:41 PM
DATE RECEIVED: 5/27/2022
TIME RECEIVED: 3:20 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
IRON TOTAL EPA 200.8	0.031	0.010	mg/L (PPM)	MR	6/1/2022	EPA 3005A
MANGANESE TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/1/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 2018100106.01	SITE NAME/ADDRESS Hayes 22 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Gervie	COMPANY Gosling Czuba K	GTA PROJECT # 052722-19

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-204	5-27-22	0930	GW	[BTEX Total Iron, Arsenic, & Manganese]
2	MW-206		1000		
3	MW-203		1033		
4	MW-202		1105		
5	MW-205		1151		
6	MW-201		1223		
7	MW-207s		1300		
8	MW-207d		1341		

BILL TO: Lambda Energy Resources	TempRec: ☐ 0-5°C	On Ice? ☒ Y ☐ N	REPORT TO: Adam Biteman
RELEASED BY [Signature]	DATE/TIME 5-27-22/1520	RECEIVED BY [Signature]	DATE/TIME 5/27/22/1520
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			