

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100106.01

GTA ProjNo: 030521-4

Site Addr: HAYES 22 CPF

Sampled By: JG/MS - GCES

Date Rec: 3/5/2021

Time Rec: 12:30 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-102D	3/2/2021		WATER
2	MW-107D	3/2/2021		WATER
3	MW-112D2	3/2/2021		WATER
4	MW-118D	3/2/2021		WATER
5	MW-118D2	3/2/2021		WATER
6	MW-102S	3/2/2021		WATER
7	MW-118D3	3/2/2021		WATER
8	MW-107S	3/2/2021		WATER
9	MW-120D	3/3/2021		WATER
10	MW-119S	3/3/2021		WATER
11	MW-119D	3/3/2021		WATER
12	MW-116S	3/3/2021		WATER
13	MW-116D	3/3/2021		WATER
14	MW-114D	3/3/2021		WATER
15	MW-110S	3/3/2021		WATER
16	MW-110D	3/3/2021		WATER
17	RW-101A	3/4/2021		WATER
18	RW-101B	3/4/2021		WATER
19	MW-100S	3/4/2021		WATER
20	MW-101	3/4/2021		WATER
21	MW-1	3/4/2021		WATER
22	MW-2	3/4/2021		WATER
23	MW-4	3/4/2021		WATER
24	MW-9	3/4/2021		WATER
25	MW-11	3/4/2021		WATER
26	MW-12	3/4/2021		WATER
27	RW-2	3/4/2021		WATER
28	RW-3	3/4/2021		WATER
29	RW-5	3/4/2021		WATER
30	RW-6	3/4/2021		WATER
31	MW-8 (RW-106)	3/4/2021		WATER
32	MW-15	3/4/2021		WATER
33	MW-126D2	3/4/2021		WATER
34	MW-126D3	3/4/2021		WATER
35	MW-127D2	3/4/2021		WATER
36	MW-129D2	3/4/2021		WATER
37	MW-132D2	3/4/2021		WATER
38	MW-132D3	3/4/2021		WATER
39	MW-132D4	3/4/2021		WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-102D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 1
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-107D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 2
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-112D2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 3
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-118D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 4
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-118D2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 5
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	1.1	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-102S

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 6
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-118D3

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 7
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-107S

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 8
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-120D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 9
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-119S

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 10
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	030521-4
PROJECT NO:	2018100106.01	GTA SAMPLE NO:	11
LOCATION:	HAYES 22 CPF	DATE SAMPLED:	3/3/2021
		TIME SAMPLED:	
	MI	DATE RECEIVED:	3/5/2021
		TIME RECEIVED:	12:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-119D	SAMPLED BY:	JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-116S

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 12
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-116D
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 13
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-114D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 14
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-110S
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 15
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	39	1.0					
Xylene(Total)	77	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-110D

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 16
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-101A
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 17
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-101B

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 18
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-100S

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 19
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-101
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 20
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 21
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	8.7	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	6.7	1.0					
Xylene(Total)	22	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 22
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	68	1.0					
Ethylbenzene	74	1.0					
Xylene(Total)	110	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 23
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-9

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 24
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 25
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 26
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-2
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 27
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-3
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 28
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-5
GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 29
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/10/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: RW-6

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 30
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-8 (RW-106)

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 31
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 32
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	1.8	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	030521-4
PROJECT NO:	2018100106.01	GTA SAMPLE NO:	33
LOCATION:	HAYES 22 CPF	DATE SAMPLED:	3/4/2021
		TIME SAMPLED:	
	MI	DATE RECEIVED:	3/5/2021
		TIME RECEIVED:	12:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-126D2	SAMPLED BY:	JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	030521-4
PROJECT NO:	2018100106.01	GTA SAMPLE NO:	34
LOCATION:	HAYES 22 CPF	DATE SAMPLED:	3/4/2021
		TIME SAMPLED:	
	MI	DATE RECEIVED:	3/5/2021
		TIME RECEIVED:	12:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-126D3	SAMPLED BY:	JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-127D2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 35
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-129D2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 36
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-132D2

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 37
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	030521-4
PROJECT NO:	2018100106.01	GTA SAMPLE NO:	38
LOCATION:	HAYES 22 CPF	DATE SAMPLED:	3/4/2021
		TIME SAMPLED:	
	MI	DATE RECEIVED:	3/5/2021
		TIME RECEIVED:	12:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-132D3	SAMPLED BY:	JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	5.3	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-132D4

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 39
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM
SAMPLED BY: JG/MS - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 1

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/2/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-102D

CHLORIDE EPA 300.0

Concentration

18

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/8/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 2
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-107D CHLORIDE EPA 300.0	22	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 3
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-112D2	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 4
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-118D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 5
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-118D2							
CHLORIDE EPA 300.0		15	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 6
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-102S CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 7
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-118D3	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 8
DATE SAMPLED: 3/2/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-107S						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 9
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-120D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 10
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-119S		ND	10	mg/L (PPM)	LV	3/8/2021	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 11

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/3/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-119D

CHLORIDE EPA 300.0

Concentration

16

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/8/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 12

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/3/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-116S

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample**

ND

10

mg/L (PPM)

LV

3/8/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 13
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-116D CHLORIDE EPA 300.0	23	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 14
DATE SAMPLED: 3/3/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-114D CHLORIDE EPA 300.0	23	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 15

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/3/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-110S

CHLORIDE EPA 300.0

Concentration

23

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/8/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 16

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/3/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-110D

CHLORIDE EPA 300.0

Concentration

17

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/8/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 17
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: RW-101A CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 18
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: RW-101B CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100106.01

LOCATION: HAYES 22 CPF

GTA PROJECT NO: 030521-4

GTA SAMPLE NO: 19

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

SAMPLED BY: MI
JG/MS - GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-100S

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
38	10	mg/L (PPM)	LV	3/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 20
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-101		ND	10	mg/L (PPM)	LV	3/8/2021	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 21
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		17	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 22
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-2							
CHLORIDE EPA 300.0		49	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 23
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		13	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 24
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		27	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100106.01

LOCATION: HAYES 22 CPF

GTA PROJECT NO: 030521-4

GTA SAMPLE NO: 25

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

SAMPLED BY: MI
JG/MS - GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-11

CHLORIDE EPA 300.0

Concentration

14

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/9/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100106.01

LOCATION: HAYES 22 CPF

GTA PROJECT NO: 030521-4

GTA SAMPLE NO: 26

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

SAMPLED BY: MI
JG/MS - GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-12

CHLORIDE EPA 300.0

Concentration

15

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/9/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 27

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: RW-2						
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 28
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: RW-3							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 29

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: RW-5

CHLORIDE EPA 300.0

Concentration

22

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/9/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 30
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: RW-6						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 31
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-8 (RW-106)							
CHLORIDE EPA 300.0		30	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 32

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-15		13	10	mg/L (PPM)	LV	3/9/2021	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 33
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-126D2 CHLORIDE EPA 300.0	22	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 34
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-126D3 CHLORIDE EPA 300.0	14	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 35
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-127D2	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	030521-4
PROJECT NO:	2018100106.01	GTA SAMPLE NO:	36
LOCATION:	HAYES 22 CPF	DATE SAMPLED:	3/4/2021
		TIME SAMPLED:	
		DATE RECEIVED:	3/5/2021
		TIME RECEIVED:	12:30 PM
	MI		
SAMPLED BY:	JG/MS - GCES		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-129D2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: JG/MS - GCES

GTA PROJECT NO: 030521-4
GTA SAMPLE NO: 37
DATE SAMPLED: 3/4/2021
TIME SAMPLED:
DATE RECEIVED: 3/5/2021
TIME RECEIVED: 12:30 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-132D2 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/9/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 030521-4

PROJECT NO: 2018100106.01

GTA SAMPLE NO: 38

LOCATION: HAYES 22 CPF

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

MI

SAMPLED BY: JG/MS - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-132D3

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample

13

10

mg/L (PPM)

LV

3/9/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100106.01

LOCATION: HAYES 22 CPF

GTA PROJECT NO: 030521-4

GTA SAMPLE NO: 39

DATE SAMPLED: 3/4/2021

TIME SAMPLED:

DATE RECEIVED: 3/5/2021

TIME RECEIVED: 12:30 PM

SAMPLED BY: MI
JG/MS - GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-132D4

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

3/11/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100100.01	SITE NAME/ADDRESS Hayes 22 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Genrie/ Mark Stover	COMPANY Gosling Czubak	GTA PROJECT # 036521-41

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-102d	3-2-21		GW	BTEX + Chloride
2	MW-107d	↓			
3	MW-112d				
4	MW-118d				
5	MW-118d				
6	MW-102s				
7	MW-118d3				
8	MW-107s	↓			
9	MW-120d	3-3-21			
10	MW-119s	↓			
11	MW-119d				
12	MW-116s				
13	MW-116d				
14	MW-114d				
15	MW-110s	↓		↓	↓

BILL TO:

Lambda Energy Resources

REPORT TO:

Adam Biteman

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 3-5-21 / 1230

[Signature] 3-5-21 12:30

REQUESTED TAT



STANDARD



1 BUSINESS DAY



2 BUSINESS DAYS



3 BUSINESS DAYS

Page 2 of 4

CHAIN OF CUSTODY

PROJECT NUMBER 2018100100.01	SITE NAME/ADDRESS Hayes 22 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Gernie/ Mark Stover	COMPANY Gasling Czupak	GTA PROJECT # 030521-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-110d	3-3-21		GW	BTEX + Chloride
17	RW-101A	3-4-21			
18	RW-101B				
19	MW-100s				
20	MW-101				
21	MW-1				
22	MW-2				
23	MW-4				
24	MW-9				
25	MW-11				
26	MW-12				
27	RW-2				
28	RW-3				
29	RW-5				
30	RW-6				

BILL TO:

REPORT TO:

Lambda Energy Resources

Adam Biterman

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 3-5-21/1230

[Signature] 3-5-21 12:30

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS



4 of 4

CHAIN OF CUSTODY



PROJECT NUMBER 2018100106.01	SITE NAME/ADDRESS HAYES 22	COMPANY/NAME LAMBDA ENERGY
SAMPLED BY MARK STOVER	COMPANY G.C.E.S.	GTA PROJECT # 030521-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
33	MW-126 d2	3-4-21		GW	BTEX, CHLORIDE
34	MW-126 d3				
35	MW-127 d2				
36	MW-129 d2				
37	MW-132 d2				
38	MW-132 d3				
39	MW-132 d4				

BILL TO: LAMBDA ENERGY

REPORT TO: ADAM BITEMAN

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
	3-4-21/17:15	G.C.E.S. FRIDGE	3-4-21/17:15
	3-5-21/12:30	Lisa Viola	3-5-21/12:30
			LMV 3-5-21

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS