

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100106.01

GTA ProjNo: 052721-7

Site Addr: HAYES 22 CPF

Sampled By: MARK STOVER/GCES

Date Rec: 5/27/2021

Time Rec: 8:45 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-201	5/26/2021	3:00 PM	WATER
2	MW-202	5/26/2021	12:10 PM	WATER
3	MW-203	5/26/2021	12:55 PM	WATER
4	MW-204	5/26/2021	11:10 AM	WATER
5	MW-205	5/26/2021	2:20 PM	WATER
6	MW-206	5/26/2021	1:35 PM	WATER
7	MW-207S	5/26/2021	3:40 PM	WATER
8	MW-207D	5/26/2021	4:10 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-201

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 1
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-202

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 2
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-203

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 3
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 12:55 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-204

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 4
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 11:10 AM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-205

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 5
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-206

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 6
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 1:35 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-207S

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 7
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 3:40 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-207D

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 8
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 4:10 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/31/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-201

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 1
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	0.056	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	0.0015	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-202

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 2
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-203

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 3
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 12:55 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-204

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 4
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 11:10 AM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0013	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-205

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 5
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-206

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 6
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 1:35 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0011	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-207S

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 7
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 3:40 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	0.020	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	0.0012	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106.01
LOCATION: HAYES 22 CPF
MI
SAMPLED BY: MARK STOVER/GCES
SAMPLE ID: MW-207D

GTA PROJECT NO: 052721-7
GTA SAMPLE NO: 8
DATE SAMPLED: 5/26/2021
TIME SAMPLED: 4:10 PM
DATE RECEIVED: 5/27/2021
TIME RECEIVED: 8:45 AM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
IRON DISS EPA 200.8	ND	0.010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
MANGANESE DISS EPA 200.8	0.0026	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

CHAIN OF CUSTODY

PROJECT NUMBER <i>2018100106.01</i>	SITE NAME/ADDRESS <i>HAYES 22</i>	COMPANY/NAME <i>LAMBDA ENERGY</i>
SAMPLED BY <i>MARK STOVER</i>	COMPANY <i>G.C.E.S.</i>	GTA PROJECT # <i>052721-7</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-201	5-26-21	15:00	GW	BTEX, DISS. IRON,
3	MW-202	↓	12:10	↓	DISS. ARSENIC,
3	MW-203		12:55		DISS. MANGANESE
4	MW-204		11:10		
5	MW-205		14:20		
6	MW-206		13:35		
7	MW-207 S		15:40		
8	MW-207 d	↓	16:10	↓	↓

BILL TO:

LAMBDA ENERGY

REPORT TO:

MARK HURLEY

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 5-26-21

G.C.E.S. FRIDGE 5-26-21 17:15

5-27-21

T. [Signature] 5-27-21 8:45

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS