



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Site Addr: HAYES 22

Name:

ClientProj: 2018100106

Sampled By: JFR/GCES

GTA ProjNo: 062024-9

Date Rec: 6/20/2024

Time Rec: 12:05 PM

Sample No. Sample ID
1 POSTLEWAIT

Date Sampled
6/20/2024

Time Sampled
10:45 AM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100106
LOCATION: HAYES 22
MI
SAMPLE MATRIX: WATER
SAMPLE ID: POSTLEWAIT

GTA PROJECT NO: 062024-9
GTA SAMPLE NO: 1
DATE SAMPLED: 6/20/2024
TIME SAMPLED: 10:45 AM
DATE RECEIVED: 6/20/2024
TIME RECEIVED: 12:05 PM
SAMPLED BY: JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/20/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 062024-9

PROJECT NO: 2018100106

GTA SAMPLE NO: 1

LOCATION: HAYES 22

DATE SAMPLED: 6/20/2024

TIME SAMPLED: 10:45 AM

DATE RECEIVED: 6/20/2024

TIME RECEIVED: 12:05 PM

MI

SAMPLED BY: JFR/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: POSTLEWAIT

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

KC/TR

6/26/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

