

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100123.01

GTA ProjNo: 061025-4

Site Addr: BEAR LAKE 22 CPF

Sampled By: T. ACKLER/GCES

Date Rec: 6/10/2025

Time Rec: 9:30 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	6/9/2025	12:20 PM	WATER
2	MW-4	6/9/2025	11:00 AM	WATER
3	MW-6	6/9/2025	11:40 AM	WATER
4	MW-7 (65')	6/9/2025	2:10 PM	WATER
5	MW-7 (79')	6/9/2025	1:55 PM	WATER
6	MW-8 (60')	6/9/2025	1:30 PM	WATER
7	MW-8 (70')	6/9/2025	1:40 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 1
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 12:20 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 2
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-6

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 3
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 11:40 AM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-7 (65')
GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 4
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-7 (79')
GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 5
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 1:55 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-8 (60')
GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 6
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-8 (70')
GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 7
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM
SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061025-4

PROJECT NO: 2018100123.01

GTA SAMPLE NO: 1

LOCATION: BEAR LAKE 22 CPF

DATE SAMPLED: 6/9/2025

TIME SAMPLED: 12:20 PM

DATE RECEIVED: 6/10/2025

TIME RECEIVED: 9:30 AM

MI

SAMPLED BY: T. ACKLER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061025-4

PROJECT NO: 2018100123.01

GTA SAMPLE NO: 2

LOCATION: BEAR LAKE 22 CPF

DATE SAMPLED: 6/9/2025

TIME SAMPLED: 11:00 AM

DATE RECEIVED: 6/10/2025

TIME RECEIVED: 9:30 AM

MI

SAMPLED BY: T. ACKLER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLED BY: T. ACKLER/GCES

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 3
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 11:40 AM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLED BY: T. ACKLER/GCES

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 4
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7 (65') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100123.01
LOCATION: BEAR LAKE 22 CPF
MI
SAMPLED BY: T. ACKLER/GCES

GTA PROJECT NO: 061025-4
GTA SAMPLE NO: 5
DATE SAMPLED: 6/9/2025
TIME SAMPLED: 1:55 PM
DATE RECEIVED: 6/10/2025
TIME RECEIVED: 9:30 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7 (79') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061025-4

PROJECT NO: 2018100123.01

GTA SAMPLE NO: 6

LOCATION: BEAR LAKE 22 CPF

DATE SAMPLED: 6/9/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 6/10/2025

TIME RECEIVED: 9:30 AM

MI

SAMPLED BY: T. ACKLER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8 (60')						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061025-4

PROJECT NO: 2018100123.01

GTA SAMPLE NO: 7

LOCATION: BEAR LAKE 22 CPF

DATE SAMPLED: 6/9/2025

TIME SAMPLED: 1:40 PM

DATE RECEIVED: 6/10/2025

TIME RECEIVED: 9:30 AM

MI

SAMPLED BY: T. ACKLER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8 (70')						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION


s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100123.01	SITE NAME/ADDRESS Bear Lake 22 CPF	COMPANY/NAME Lambda Energy Resources, LLC
SAMPLED BY T. Ackler	COMPANY Gosling CzubaK	GTA PROJECT # 061025-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-3	6-9-25	12:20	GW	BTEX +4, chloride
2	MW-4		11:00		
3	MW-6		11:40		
4	MW-7 (65')		14:10		
5	MW-7 (79')		13:55		
6	MW-8 (60')		13:30		
7	MW-8 (70')		13:40		

BILL TO: LER	TempRec: ☐ 0.3°C	On Ice? ☒ Y ☐ N	REPORT TO: J. Simsa
RELEASED BY Trevor Ackler	DATE/TIME 6-10-25 @ 9:30	RECEIVED BY 	DATE/TIME 6-10-25 9:30A
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			