

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100133.01

GTA ProjNo: 061719-6

Site Addr: OTSEGO LAKE 6

Sampled By: MK/GCES

Date Rec: 6/17/2019

Time Rec: 10:03 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	6/14/2019	1:20 PM	WATER
2	MW-2	6/14/2019	2:23 PM	WATER
3	MW-3	6/14/2019	3:09 PM	WATER
4	MW-4	6/14/2019	3:50 PM	WATER
5	DUPLICATE 1	6/14/2019		WATER
6	FIELD BLANK	6/14/2019	12:20 PM	WATER
7	EQUIPMENT BLANK	6/14/2019	12:30 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100133.01
LOCATION: OTSEGO LAKE 6
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1

GTA PROJECT NO: 061719-6
GTA SAMPLE NO: 1
DATE SAMPLED: 6/14/2019
TIME SAMPLED: 1:20 PM
DATE RECEIVED: 6/17/2019
TIME RECEIVED: 10:03 AM
SAMPLED BY: MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100133.01
LOCATION: OTSEGO LAKE 6
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-2

GTA PROJECT NO: 061719-6
GTA SAMPLE NO: 2
DATE SAMPLED: 6/14/2019
TIME SAMPLED: 2:23 PM
DATE RECEIVED: 6/17/2019
TIME RECEIVED: 10:03 AM
SAMPLED BY: MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100133.01
LOCATION: OTSEGO LAKE 6
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

GTA PROJECT NO: 061719-6
GTA SAMPLE NO: 3
DATE SAMPLED: 6/14/2019
TIME SAMPLED: 3:09 PM
DATE RECEIVED: 6/17/2019
TIME RECEIVED: 10:03 AM
SAMPLED BY: MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	061719-6
PROJECT NO:	2018100133.01	GTA SAMPLE NO:	4
LOCATION:	OTSEGO LAKE 6	DATE SAMPLED:	6/14/2019
		TIME SAMPLED:	3:50 PM
		DATE RECEIVED:	6/17/2019
	MI	TIME RECEIVED:	10:03 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-4	SAMPLED BY:	MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	061719-6
PROJECT NO:	2018100133.01	GTA SAMPLE NO:	5
LOCATION:	OTSEGO LAKE 6	DATE SAMPLED:	6/14/2019
		TIME SAMPLED:	
	MI	DATE RECEIVED:	6/17/2019
		TIME RECEIVED:	10:03 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	DUPLICATE 1	SAMPLED BY:	MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	061719-6
PROJECT NO:	2018100133.01	GTA SAMPLE NO:	6
LOCATION:	OTSEGO LAKE 6	DATE SAMPLED:	6/14/2019
		TIME SAMPLED:	12:20 PM
		DATE RECEIVED:	6/17/2019
	MI	TIME RECEIVED:	10:03 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	FIELD BLANK	SAMPLED BY:	MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	061719-6
PROJECT NO:	2018100133.01	GTA SAMPLE NO:	7
LOCATION:	OTSEGO LAKE 6	DATE SAMPLED:	6/14/2019
		TIME SAMPLED:	12:30 PM
		DATE RECEIVED:	6/17/2019
	MI	TIME RECEIVED:	10:03 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	EQUIPMENT BLANK	SAMPLED BY:	MK/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/19/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061719-6

PROJECT NO: 2018100133.01

GTA SAMPLE NO: 1

LOCATION: OTSEGO LAKE 6

DATE SAMPLED: 6/14/2019

TIME SAMPLED: 1:20 PM

DATE RECEIVED: 6/17/2019

TIME RECEIVED: 10:03 AM

MI

SAMPLED BY: MK/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-1

CHLORIDE EPA 300.0

Concentration

17

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date

6/19/2019

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061719-6

PROJECT NO: 2018100133.01

GTA SAMPLE NO: 2

LOCATION: OTSEGO LAKE 6

DATE SAMPLED: 6/14/2019

TIME SAMPLED: 2:23 PM

DATE RECEIVED: 6/17/2019

TIME RECEIVED: 10:03 AM

MI

SAMPLED BY: MK/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-2

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date

Sample

ND

10

mg/L (PPM)

LV

6/19/2019

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061719-6

PROJECT NO: 2018100133.01

GTA SAMPLE NO: 3

LOCATION: OTSEGO LAKE 6

DATE SAMPLED: 6/14/2019

TIME SAMPLED: 3:09 PM

DATE RECEIVED: 6/17/2019

TIME RECEIVED: 10:03 AM

SAMPLED BY: MI
MK/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date

6/19/2019

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061719-6

PROJECT NO: 2018100133.01

GTA SAMPLE NO: 4

LOCATION: OTSEGO LAKE 6

DATE SAMPLED: 6/14/2019

TIME SAMPLED: 3:50 PM

DATE RECEIVED: 6/17/2019

TIME RECEIVED: 10:03 AM

MI

SAMPLED BY: MK/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

13

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date

6/19/2019

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061719-6

PROJECT NO: 2018100133.01

GTA SAMPLE NO: 5

LOCATION: OTSEGO LAKE 6

DATE SAMPLED: 6/14/2019

TIME SAMPLED:

DATE RECEIVED: 6/17/2019

TIME RECEIVED: 10:03 AM

MI

SAMPLED BY: MK/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: **DUPLICATE 1**

CHLORIDE EPA 300.0

Concentration

13

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date

6/19/2019

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100133.01
LOCATION: OTSEGO LAKE 6
MI
SAMPLED BY: MK/GCES

GTA PROJECT NO: 061719-6
GTA SAMPLE NO: 7
DATE SAMPLED: 6/14/2019
TIME SAMPLED: 12:30 PM
DATE RECEIVED: 6/17/2019
TIME RECEIVED: 10:03 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: EQUIPMENT BLANK CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/19/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100133.01	SITE NAME/ADDRESS Otsego Lake Co	COMPANY/NAME LER
SAMPLED BY MR	COMPANY GCS	GTA PROJECT # 061719-6

SAMPLE INFORMATION



#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW - 1	6-14-19	1:20	GW	BTEX+4, Chloride
2	MW - 2	6-14-19	2:23	GW	BTEX+4, Chloride
3	MW - 3	6-14-19	3:09	GW	BTEX+4, Chloride
4	MW - 4	6-14-19	3:50	GW	BTEX+4, Chloride
5	Duplicate 1	6-14-19	—	GW	BTEX+4, Chloride
6	Field Blank	6-14-19	12:20 _p	W	BTEX+4, Chloride
7	Equipment Blank	6-14-19	12:30 _p	W	BTEX+4, Chloride

BILL TO:

Lambda Energy Resources, LLC

REPORT TO:

for - 3.2% on ice Don Conway (GCS)

RELEASED BY 	DATE/TIME 6-14-19 5:45 pm	RECEIVED BY GCS FOLD Storage	DATE/TIME 5:45 pm 6-14-19
	6-17-19 10:03 am	K. CH	6/17/19 10:03 am

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS