

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100136.02

GTA ProjNo: 100225-9

Site Addr: HAYES 22

Sampled By: BH/GCES

Date Rec: 10/2/2025

Time Rec: 1:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	RW-101 BLD	10/2/2025	12:50 PM	WATER
2	RW-102 BLD	10/2/2025	12:50 PM	WATER
3	RW-103 BLD	10/2/2025	12:50 PM	WATER
4	RW-104 BLD	10/2/2025	12:50 PM	WATER
5	RW-105 BLD	10/2/2025	12:50 PM	WATER
6	TOWER EFF	10/2/2025	12:50 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	1
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-101 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	2
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-102 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	3
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-103 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	13	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	18	1.0					
Xylene(Total)	19	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	4
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-104 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	2.1	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	13	1.0					
Xylene(Total)	27	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	5
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-105 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	5.9	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	2.8	1.0					
Ethylbenzene	31	1.0					
Xylene(Total)	62	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	100225-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	6
LOCATION:	HAYES 22	DATE SAMPLED:	10/2/2025
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	10/2/2025
	MI	TIME RECEIVED:	1:55 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	TOWER EFF	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100136.02

LOCATION: HAYES 22

SAMPLED BY: MI
BH/GCES

SAMPLE ID: RW-101 BLD

GTA PROJECT NO: 100225-9

GTA SAMPLE NO: 1

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	ND	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	0.10	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 2

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-102 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	0.0022	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	0.31	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	0.089	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100136.02
LOCATION: HAYES 22
SAMPLED BY: MI
BH/GCES
SAMPLE ID: RW-103 BLD

GTA PROJECT NO: 100225-9
GTA SAMPLE NO: 3
DATE SAMPLED: 10/2/2025
TIME SAMPLED: 12:50 PM
DATE RECEIVED: 10/2/2025
TIME RECEIVED: 1:55 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	0.0024	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	2.3	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	0.12	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 4

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-104 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	0.0024	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	2.1	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	0.084	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 5

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-105 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	0.0024	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	1.6	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	0.14	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100136.02
LOCATION: HAYES 22
SAMPLED BY: MI
BH/GCES
SAMPLE ID: TOWER EFF

GTA PROJECT NO: 100225-9
GTA SAMPLE NO: 6
DATE SAMPLED: 10/2/2025
TIME SAMPLED: 12:50 PM
DATE RECEIVED: 10/2/2025
TIME RECEIVED: 1:55 PM
SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A
IRON DISSOLVED EPA 200.8	ND	0.050	mg/L (PPM)	MR	10/13/2025	EPA 3005A
MANGANESE DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR	10/13/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 1

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-101 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	10/9/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 2

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-102 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
19	10	mg/L (PPM)	KC/TR	10/9/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 3

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-103 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	10/9/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 4

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-104 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
14	10	mg/L (PPM)	KC/TR	10/9/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 5

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-105 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	10/9/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 100225-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 6

LOCATION: HAYES 22

DATE SAMPLED: 10/2/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 10/2/2025

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TOWER EFF

CHLORIDE EPA 300.0

Concentration

25

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

10/9/2025

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100136.02	SITE NAME/ADDRESS Hayes 22	COMPANY/NAME Lambda
SAMPLED BY BH	COMPANY GCEs	GTA PROJECT # 100225-9

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	RW 101 Bid	10/2	12:50	GW	BTEX, chloride, Dissolved Iron, manganese, Arsenic
2	RW 102 Bid				
3	RW 103 Bid				
4	RW 104 Bid				
5	RW 105 Bid				
6	Tower Eff				

BILL TO:

Lambda

TempRec: ☐

On Ice? ☒ Y ☐ N

3.1°C

REPORT TO:

RELEASED BY

DATE/TIME

3-11 Hadwood

10/2 / SAME

1:55

RECEIVED BY

DATE/TIME

10/2/25
1:55

REQUESTED TAT ☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS