

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100136.02

GTA ProjNo: 052325-9

Site Addr: HAYES 22

Sampled By: BH/GCES

Date Rec: 5/23/2025

Time Rec: 2:50 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	RW-101 BLD	5/23/2025	1:30 PM	WATER
2	RW-102 BLD	5/23/2025	1:30 PM	WATER
3	RW-103 BLD	5/23/2025	1:30 PM	WATER
4	RW-104 BLD	5/23/2025	1:30 PM	WATER
5	RW-105 BLD	5/23/2025	1:30 PM	WATER
6	TOWER EFF	5/23/2025	1:30 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	052325-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	1
LOCATION:	HAYES 22	DATE SAMPLED:	5/23/2025
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	5/23/2025
	MI	TIME RECEIVED:	2:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-101 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	052325-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	2
LOCATION:	HAYES 22	DATE SAMPLED:	5/23/2025
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	5/23/2025
	MI	TIME RECEIVED:	2:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-102 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	052325-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	3
LOCATION:	HAYES 22	DATE SAMPLED:	5/23/2025
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	5/23/2025
	MI	TIME RECEIVED:	2:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-103 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	9.2	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	14	1.0					
Xylene(Total)	25	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	052325-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	4
LOCATION:	HAYES 22	DATE SAMPLED:	5/23/2025
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	5/23/2025
	MI	TIME RECEIVED:	2:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-104 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	1.5	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	25	1.0					
Xylene(Total)	33	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	052325-9
PROJECT NO:	2018100136.02	GTA SAMPLE NO:	5
LOCATION:	HAYES 22	DATE SAMPLED:	5/23/2025
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	5/23/2025
	MI	TIME RECEIVED:	2:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	RW-105 BLD	SAMPLED BY:	BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	4.7	1.0					
Xylene(Total)	7.7	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100136.02
LOCATION: HAYES 22
MI
SAMPLE MATRIX: WATER
SAMPLE ID: TOWER EFF
GTA PROJECT NO: 052325-9
GTA SAMPLE NO: 6
DATE SAMPLED: 5/23/2025
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 5/23/2025
TIME RECEIVED: 2:50 PM
SAMPLED BY: BH/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 1

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-101 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	0.10	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	0.11	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 2

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-102 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0024	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	0.82	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	0.066	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 3

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-103 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0022	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	1.2	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	0.082	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 4

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-104 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0016	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	1.6	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	0.060	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 5

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: RW-105 BLD

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	0.0018	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	1.3	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	0.11	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 6

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: TOWER EFF

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A
IRON DISS EPA 200.8	ND	0.050	mg/L (PPM)	MR	5/28/2025	EPA3005A
MANGANESE DISS EPA 200.8	ND	0.0010	mg/L (PPM)	MR	5/28/2025	EPA3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 1

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-101 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
13	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 2

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-102 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
17	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 3

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

MI

SAMPLED BY: BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-103 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100136.02

LOCATION: HAYES 22

GTA PROJECT NO: 052325-9

GTA SAMPLE NO: 4

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: RW-104 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
22	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100136.02

LOCATION: HAYES 22

GTA PROJECT NO: 052325-9

GTA SAMPLE NO: 5

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: RW-105 BLD

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 052325-9

PROJECT NO: 2018100136.02

GTA SAMPLE NO: 6

LOCATION: HAYES 22

DATE SAMPLED: 5/23/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 5/23/2025

TIME RECEIVED: 2:50 PM

SAMPLED BY: MI
BH/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TOWER EFF

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
21	10	mg/L (PPM)	KC/TR	5/27/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100136.02	SITE NAME/ADDRESS Hays 22	COMPANY/NAME Lambden
SAMPLED BY BH	COMPANY GLCS	GTA PROJECT # 052325-9

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	RW101 Bld	5/23/25	1:30	GW	BTEX, chloride, dissolved Iron, manganese, Arsenic
2	RW102 Bld				
3	RW103 Bld				
4	RW104 Bld				
5	RW105 Bld				
6	Tower Eff				

BILL TO:

Lambden

TempRec: ☐

On Ice? ☒ ☐

0.1°C

REPORT TO:

Mark Hurley

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

Mark Hurley

**5/23/25
2:50**

Adelphi 5/23/25 2:50

REQUESTED TAT

☐ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☒ 3 BUSINESS DAYS