

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100140.01

GTA ProjNo: 082924-4

Site Addr: WHITEWATER 32 CPF

Sampled By: JG/JFR - GCES

Date Rec: 8/29/2024

Time Rec: 1:15 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-42DD	8/26/2024		WATER
2	MW-30DDD	8/26/2024		WATER
3	MW-37DD	8/26/2024		WATER
4	MW-43DD	8/26/2024		WATER
5	MW-35DD	8/26/2024		WATER
6	MW-29DD	8/26/2024		WATER
7	MW-48DD	8/27/2024		WATER
8	RW-1	8/27/2024		WATER
9	RW-2	8/27/2024		WATER
10	RW-3	8/27/2024		WATER
11	RW-21	8/27/2024		WATER
12	RW-22	8/27/2024		WATER
13	RW-28	8/27/2024		WATER
14	RW-29	8/27/2024		WATER
15	RW-46DD	8/27/2024		WATER
16	RW-45DD	8/27/2024		WATER
17	RW-44DD	8/27/2024		WATER
18	RW-41DD	8/27/2024		WATER
19	MW-14D	8/28/2024	8:45 AM	WATER
20	MW-16S	8/28/2024	9:15 AM	WATER
21	MW-9	8/28/2024	9:30 AM	WATER
22	MW-19D	8/28/2024	9:50 AM	WATER
23	MW-19DD	8/28/2024	10:40 AM	WATER
24	MW-51D	8/28/2024	11:20 AM	WATER
25	MW-49D	8/28/2024	11:50 AM	WATER
26	MW-50D	8/28/2024	12:20 PM	WATER
27	MW-34DD	8/28/2024	1:35 PM	WATER
28	MW-34D	8/28/2024	2:15 PM	WATER
29	MW-18D	8/28/2024	3:00 PM	WATER
30	MW-32D	8/29/2024	8:50 AM	WATER
31	MW-31D	8/29/2024	9:30 AM	WATER
32	MW-10S	8/29/2024	10:25 AM	WATER
33	MW-12S	8/29/2024	11:25 AM	WATER
34	MW-22D	8/29/2024	12:35 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-14D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 19
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 8:45 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	5.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	5.0					
Ethylbenzene	3,400	50					
Xylene(Total)	8,600	150					
1,2,4-Trimethylbenzene	610	5.0					
1,3,5-Trimethylbenzene	170	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	082924-4
PROJECT NO:	2018100140.01	GTA SAMPLE NO:	20
LOCATION:	WHITEWATER 32 CPF	DATE SAMPLED:	8/28/2024
		TIME SAMPLED:	9:15 AM
		DATE RECEIVED:	8/29/2024
	MI	TIME RECEIVED:	1:15 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-16S	SAMPLED BY:	JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	20	5.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	650	50					
Ethylbenzene	420	50					
Xylene(Total)	1,700	150					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	082924-4
PROJECT NO:	2018100140.01	GTA SAMPLE NO:	21
LOCATION:	WHITEWATER 32 CPF	DATE SAMPLED:	8/28/2024
		TIME SAMPLED:	9:30 AM
		DATE RECEIVED:	8/29/2024
	MI	TIME RECEIVED:	1:15 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-9	SAMPLED BY:	JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-19D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 22
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 9:50 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	110	1.0					
Xylene(Total)	310	3.0					
1,2,4-Trimethylbenzene	44	1.0					
1,3,5-Trimethylbenzene	11	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-51D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 24
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 11:20 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-49D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 25
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 11:50 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	240	1.0					
Xylene(Total)	540	3.0					
1,2,4-Trimethylbenzene	18	1.0					
1,3,5-Trimethylbenzene	3.6	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	082924-4
PROJECT NO:	2018100140.01	GTA SAMPLE NO:	26
LOCATION:	WHITEWATER 32 CPF	DATE SAMPLED:	8/28/2024
		TIME SAMPLED:	12:20 PM
		DATE RECEIVED:	8/29/2024
	MI	TIME RECEIVED:	1:15 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-50D	SAMPLED BY:	JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	7.0	1.0					
Xylene(Total)	15	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-34D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 28
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-32D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 30
DATE SAMPLED: 8/29/2024
TIME SAMPLED: 8:50 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	4.4	1.0					
Xylene(Total)	22	3.0					
1,2,4-Trimethylbenzene	24	1.0					
1,3,5-Trimethylbenzene	5.4	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	082924-4
PROJECT NO:	2018100140.01	GTA SAMPLE NO:	31
LOCATION:	WHITEWATER 32 CPF	DATE SAMPLED:	8/29/2024
		TIME SAMPLED:	9:30 AM
		DATE RECEIVED:	8/29/2024
	MI	TIME RECEIVED:	1:15 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-31D	SAMPLED BY:	JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	4.6	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	330	1.0					
Xylene(Total)	210	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-10S
GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 32
DATE SAMPLED: 8/29/2024
TIME SAMPLED: 10:25 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	082924-4
PROJECT NO:	2018100140.01	GTA SAMPLE NO:	33
LOCATION:	WHITEWATER 32 CPF	DATE SAMPLED:	8/29/2024
		TIME SAMPLED:	11:25 AM
		DATE RECEIVED:	8/29/2024
	MI	TIME RECEIVED:	1:15 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-12S	SAMPLED BY:	JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-22D

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 34
DATE SAMPLED: 8/29/2024
TIME SAMPLED: 12:35 PM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM
SAMPLED BY: JG/JFR - GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/4/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	56	3.0					
1,2,4-Trimethylbenzene	89	1.0					
1,3,5-Trimethylbenzene	13	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 1

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/26/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-42DD

CHLORIDE EPA 300.0

Concentration

260

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/4/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 2

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/26/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-30DDD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

31

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 3

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/26/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-37DD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

350

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 4
DATE SAMPLED: 8/26/2024
TIME SAMPLED:
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-43DD							
CHLORIDE EPA 300.0		250	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 5

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/26/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-35DD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

470

20

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 6

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/26/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-29DD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

370

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 7
DATE SAMPLED: 8/27/2024
TIME SAMPLED:
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-48DD							
CHLORIDE EPA 300.0		100	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 8

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-1

CHLORIDE EPA 300.0

Concentration

130

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/4/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 9

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-2							
CHLORIDE EPA 300.0		43	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 10

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-3							
CHLORIDE EPA 300.0		150	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 11

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-21							
CHLORIDE EPA 300.0		250	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 12

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-22

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

210

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 13

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-28							
CHLORIDE EPA 300.0		110	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 14

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-29							
CHLORIDE EPA 300.0		130	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 15

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: RW-46DD						
	CHLORIDE EPA 300.0	18	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 16

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: RW-45DD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

570

50

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 17

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/27/2024

TIME SAMPLED:

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-44DD							
CHLORIDE EPA 300.0		390	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 18
DATE SAMPLED: 8/27/2024
TIME SAMPLED:
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RW-41DD CHLORIDE EPA 300.0	230	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 19

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 8:45 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-14D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 20

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 9:15 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-16S

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 21

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 9:30 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	9/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 22

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 9:50 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-19D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 23

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 10:40 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-19DD

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

140

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 24

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 11:20 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-51D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/4/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 25

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 11:50 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-49D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/5/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 26

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 12:20 PM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-50D

CHLORIDE EPA 300.0

Concentration

27

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/5/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 27

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 1:35 PM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-34DD							
CHLORIDE EPA 300.0		350	10	mg/L (PPM)	KC/TR	9/5/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 28
DATE SAMPLED: 8/28/2024
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-34D CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	9/5/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 29

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/28/2024

TIME SAMPLED: 3:00 PM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-18D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

9/5/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 30

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/29/2024

TIME SAMPLED: 8:50 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-32D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

31

10

mg/L (PPM)

KC/TR

9/5/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 31

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/29/2024

TIME SAMPLED: 9:30 AM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-31D

CHLORIDE EPA 300.0

Concentration

39

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/5/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 32
DATE SAMPLED: 8/29/2024
TIME SAMPLED: 10:25 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-10S	ND	10	mg/L (PPM)	KC/TR	9/5/2024	WATER
CHLORIDE EPA 300.0						
CONDUCTIVITY SM2510-B	400	1.0	uS/cm@25C	TR	9/3/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100140.01
LOCATION: WHITEWATER 32 CPF
MI
SAMPLED BY: JG/JFR - GCES

GTA PROJECT NO: 082924-4
GTA SAMPLE NO: 33
DATE SAMPLED: 8/29/2024
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 8/29/2024
TIME RECEIVED: 1:15 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-12S							
CHLORIDE EPA 300.0		12	10	mg/L (PPM)	KC/TR	9/5/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082924-4

PROJECT NO: 2018100140.01

GTA SAMPLE NO: 34

LOCATION: WHITEWATER 32 CPF

DATE SAMPLED: 8/29/2024

TIME SAMPLED: 12:35 PM

DATE RECEIVED: 8/29/2024

TIME RECEIVED: 1:15 PM

MI

SAMPLED BY: JG/JFR - GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-22D

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/5/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018100140.01	SITE NAME/ADDRESS Whitewater 32 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Gerrie	COMPANY Gosling C-UBak	GTA PROJECT # 082924-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-42DD	8-26-24		GW	Chloride
2	MW-30DDD				
3	MW-37DD				
4	MW-43DD				
5	MW-35DD				
6	MW-29DD				
7	MW-48DD	8-27-24			
8	RW-1				
9	RW-2				
10	RW-3				
11	RW-21				
12	RW-22				
13	RW-28				
14	RW-29				
15	MW-46DD				

BILL TO: Lambda Energy Resources	TempRec: ☐ 3.9°C	On Ice? ☒ Y ☐ N	REPORT TO: Jeff Simsa
RELEASED BY 	DATE/TIME 8/29/24 13:15	RECEIVED BY 	DATE/TIME 8/29/24 1315
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			

Page 3 of 4

CHAIN OF CUSTODY

PROJECT NUMBER 2018100140	SITE NAME/ADDRESS Whitewater 32 CPF	COMPANY/NAME Lambda Energy Resources LLC
SAMPLED BY JFR	COMPANY GCES	GTA PROJECT # 082924-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
19	MW-14d	8/28/24	8:45	GW	BTEX +4, Chloride
20	MW-16S		9:15		BTEX, Chloride
21	MW-9		9:30		
22	MW-19D		9:50		BTEX +4, Chloride
23	MW-19DD		10:40		Chloride
24	MW-51D		11:20		BTEX, Chloride
25	MW-49D		11:50		BTEX +4, Chloride
26	MW-50D		12:20		BTEX, Chloride
27	MW-34DD		13:35		Chloride
28	MW-34D		14:15		BTEX, Chloride
29	MW-18D		15:00		Chloride
30	MW-32D	8/29/24	8:50		BTEX +4, Chloride
31	MW-31D		9:30		BTEX, Chloride
32	MW-10S		10:25		BTEX, Chloride, SC
33	MW-12S		11:25		BTEX, Chloride

BILL TO:

Lambda Energy Resources

TempRec: ☐

On Ice? ☐


3.9°C

REPORT TO:

J. Simsa

RELEASED BY


DATE/TIME



8/29/24 13:15

RECEIVED BY

DATE/TIME

 8/29/24 13:15

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

