

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100153.01

GTA ProjNo: 031120-6

Site Addr: NORWICH UNIT TRACT 4-156

Sampled By: MARK STOVER/GCES

Date Rec: 3/11/2020

Time Rec: 2:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-15	3/10/2020		WATER
2	MW-24	3/10/2020		WATER
3	MW-22	3/10/2020		WATER
4	MW-23	3/10/2020		WATER
5	MW-16	3/10/2020		WATER
6	MW-21	3/10/2020		WATER
7	MW-20	3/10/2020		WATER
8	MW-13	3/10/2020		WATER
9	MW-19	3/10/2020		WATER
10	MW-17	3/10/2020		WATER
11	MW-18	3/10/2020		WATER
12	MW-11D	3/11/2020		WATER
13	MW-10	3/11/2020		WATER
14	MW-14 (40')	3/11/2020		WATER
15	MW-3	3/11/2020		WATER
16	MW-14 (8')	3/11/2020		WATER
17	MW-11S	3/11/2020		WATER
18	MW-7 (8')	3/11/2020		WATER
19	MW-7 (40')	3/11/2020		WATER
20	MW-8 (5')	3/11/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 1
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-15							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 2
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-24							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 3
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-22							
CHLORIDE EPA 300.0		51	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 031120-6

PROJECT NO: 2018100153.01

GTA SAMPLE NO: 4

LOCATION: NORWICH UNIT TRACT 4-156

DATE SAMPLED: 3/10/2020

TIME SAMPLED:

DATE RECEIVED: 3/11/2020

TIME RECEIVED: 2:45 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-23						
	CHLORIDE EPA 300.0	61	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 031120-6

PROJECT NO: 2018100153.01

GTA SAMPLE NO: 5

LOCATION: NORWICH UNIT TRACT 4-156

DATE SAMPLED: 3/10/2020

TIME SAMPLED:

DATE RECEIVED: 3/11/2020

TIME RECEIVED: 2:45 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-16						
	CHLORIDE EPA 300.0	680	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 6
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-21 CHLORIDE EPA 300.0	81	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 7
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-20							
CHLORIDE EPA 300.0		200	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 8
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-13 CHLORIDE EPA 300.0	240	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 9
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-19 CHLORIDE EPA 300.0	540	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 10
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-17							
CHLORIDE EPA 300.0		1,100	50	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 11
DATE SAMPLED: 3/10/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-18							
CHLORIDE EPA 300.0		1,100	50	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 12
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-11D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 13
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-10							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 14
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-14 (40')						
	CHLORIDE EPA 300.0	26	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 15
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		74	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 16
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-14 (8')						
	CHLORIDE EPA 300.0	140	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 17
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-11S CHLORIDE EPA 300.0	81	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 18
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-7 (8')						
	CHLORIDE EPA 300.0	220	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 19
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-7 (40')						
	CHLORIDE EPA 300.0	320	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100153.01
LOCATION: NORWICH UNIT TRACT 4-156
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 031120-6
GTA SAMPLE NO: 20
DATE SAMPLED: 3/11/2020
TIME SAMPLED:
DATE RECEIVED: 3/11/2020
TIME RECEIVED: 2:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-8 (5')						
	CHLORIDE EPA 300.0	480	10	mg/L (PPM)	LV	3/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER <i>2018/00153.01</i>	SITE NAME/ADDRESS <i>NORWICH TRACT 4-156</i>	COMPANY/NAME <i>LAMBDA ENERGY</i>
SAMPLED BY <i>MARK STOVER</i>	COMPANY <i>G.C.E.S.</i>	GTA PROJECT # <i>021120-6</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-15	3-10-20		GW	CHLORIDE
2	MW-24				
3	MW-22				
4	MW-23				
5	MW-16				
6	MW-21				
7	MW-20				
8	MW-13				
9	MW-19				
10	MW-17				
11	MW-18				
12	MW-11d	3-11-20			
13	MW-10				
14	MW-14(40')				
15	MW-3				

BILL TO:

LAMBDA ENERGY

REPORT TO:

JEFF SIMSA

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature]

3-11-20

[Signature]

3/11/20 2:45

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
2018100153.01	NORWICH UNIT TRACT 4-156	LAMBDA ENERGY
SAMPLED BY	COMPANY	GTA PROJECT #
MARK J.	G.C.E.S.	031120-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-14(8')	3-11-20		GW	CHLORIDE
17	MW-115	↓		↓	↓
18	MW-7(8')				
19	MW-7(40')				
20	MW-8(5')	↓		↓	↓

BILL TO:

LAMBDA ENERGY

REPORT TO:

JEFF SIMSA

RELEASED BY

DATE/TIME

3-11-20

RECEIVED BY

DATE/TIME

3/11/20 2:45

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS