



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 2018100162.01

Site Addr: ST. FOREST 1-22B

GTA ProjNo: 121018-5

Sampled By: MAX KORNDORFER/GCES
Date Rec: 12/10/2018
Time Rec: 9:10 AM

Sample No. Sample ID
1 MW-4

Date Sampled Time Sampled Sample Matrix
12/6/2018 11:20 AM WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100162.01

LOCATION: ST. FOREST 1-22B

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-4

GTA PROJECT NO: 121018-5

GTA SAMPLE NO: 1

DATE SAMPLED: 12/6/2018

TIME SAMPLED: 11:20 AM

DATE RECEIVED: 12/10/2018

TIME RECEIVED: 9:10 AM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/11/2018	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 121018-5

PROJECT NO: 2018100162.01

GTA SAMPLE NO: 1

LOCATION: ST. FOREST 1-22B

DATE SAMPLED: 12/6/2018

TIME SAMPLED: 11:20 AM

DATE RECEIVED: 12/10/2018

TIME RECEIVED: 9:10 AM

MI

SAMPLED BY: MAX KORNDORFER/GCES

INORGANICS

No: Analysis

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date

Sample

8.8

2.5

mg/L (PPM)

LV

12/15/2018

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

