



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 2018100168.05

GTA ProjNo: 082719-6

Site Addr: JOHNSON-HILLIARD 7-26

Sampled By: MARK ALLEN/GCES

Date Rec: 8/27/2019

Time Rec: 2:20 PM

Sample No. Sample ID
1 MW-19

Date Sampled
8/27/2019

Time Sampled
11:15 AM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.05
LOCATION: JOHNSON-HILLIARD 7-26
MI
SAMPLED BY: MARK ALLEN/GCES

GTA PROJECT NO: 082719-6
GTA SAMPLE NO: 1
DATE SAMPLED: 8/27/2019
TIME SAMPLED: 11:15 AM
DATE RECEIVED: 8/27/2019
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-19							
CHLORIDE EPA 300.0		1,100	50	mg/L (PPM)	LV	8/29/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

