



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CORE ENERGY
Name:
ClientProj: 2018830004.01
GTA ProjNo: 051719-4

Site Addr: WESANEN 2-19

Sampled By: MARK STOVER/GCES
Date Rec: 5/17/2019
Time Rec: 12:46 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	INTERSTITIAL MP	5/16/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY
PROJECT NO: 2018830004.01
LOCATION: WESANEN 2-19
MI
SAMPLE MATRIX: WATER
SAMPLE ID: INTERSTITIAL MP

GTA PROJECT NO: 051719-4
GTA SAMPLE NO: 1
DATE SAMPLED: 5/16/2019
TIME SAMPLED:
DATE RECEIVED: 5/17/2019
TIME RECEIVED: 12:46 PM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/18/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: CORE ENERGY
 PROJECT NO: 2018830004.01
 LOCATION: WESANEN 2-19

GTA PROJECT NO: 051719-4
 GTA SAMPLE NO: 1
 DATE SAMPLED: 5/16/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 12:46 PM

MI
 SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: INTERSTITIAL MP						
	CHLORIDE EPA 300.0	25	10	mg/L (PPM)	LV	5/21/2019	WATER
	CONDUCTIVITY SM2510-B	260	1.0	uS/cm@25C	LV	5/20/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

