

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC

Name:

ClientProj: 2020704011.01

GTA ProjNo: 060424-11

Site Addr: N. BUCKEYE TANK BATTERY

Sampled By: JOSHUA GERRIE/GCES

Date Rec: 6/4/2024

Time Rec: 4:30 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-12D	6/4/2024		WATER
2	MW-14D	6/4/2024		WATER
3	MW-15D	6/4/2024		WATER
4	MW-11D	6/4/2024		WATER
5	MW-13D	6/4/2024		WATER
6	MW-10D	6/4/2024		WATER
7	MW-4	6/4/2024		WATER
8	MW-4D	6/4/2024		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12D

GTA PROJECT NO: 060424-11
GTA SAMPLE NO: 1
DATE SAMPLED: 6/4/2024
TIME SAMPLED:
DATE RECEIVED: 6/4/2024
TIME RECEIVED: 4:30 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/5/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-14D

GTA PROJECT NO: 060424-11

GTA SAMPLE NO: 2

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	23	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15D

GTA PROJECT NO: 060424-11
GTA SAMPLE NO: 3
DATE SAMPLED: 6/4/2024
TIME SAMPLED:
DATE RECEIVED: 6/4/2024
TIME RECEIVED: 4:30 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	10	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11D

GTA PROJECT NO: 060424-11
GTA SAMPLE NO: 4
DATE SAMPLED: 6/4/2024
TIME SAMPLED:
DATE RECEIVED: 6/4/2024
TIME RECEIVED: 4:30 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	37	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	060424-11
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	5
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	6/4/2024
		TIME SAMPLED:	
		DATE RECEIVED:	6/4/2024
	MI	TIME RECEIVED:	4:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-13D	SAMPLED BY:	JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	150	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-10D
GTA PROJECT NO: 060424-11
GTA SAMPLE NO: 6
DATE SAMPLED: 6/4/2024
TIME SAMPLED:
DATE RECEIVED: 6/4/2024
TIME RECEIVED: 4:30 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	210	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 060424-11
GTA SAMPLE NO: 7
DATE SAMPLED: 6/4/2024
TIME SAMPLED:
DATE RECEIVED: 6/4/2024
TIME RECEIVED: 4:30 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	7.4	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	060424-11
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	8
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	6/4/2024
		TIME SAMPLED:	
		DATE RECEIVED:	6/4/2024
	MI	TIME RECEIVED:	4:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-4D	SAMPLED BY:	JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	530	1.0	ug/L (PPB)	MR		6/6/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 060424-11

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 1

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-12D							
CHLORIDE EPA 300.0		15,000	1,000	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

GTA PROJECT NO: 060424-11

GTA SAMPLE NO: 2

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

SAMPLED BY: MI
JOSHUA GERRIE/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-14D

CHLORIDE EPA 300.0

Concentration

45,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

6/11/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 060424-11

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 3

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-15D						
CHLORIDE EPA 300.0		54,000	1,000	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

GTA PROJECT NO: 060424-11

GTA SAMPLE NO: 4

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11D							
CHLORIDE EPA 300.0		9,800	1,000	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 060424-11

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 5

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-13D							
CHLORIDE EPA 300.0		46,000	1,000	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

GTA PROJECT NO: 060424-11

GTA SAMPLE NO: 6

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-10D

CHLORIDE EPA 300.0

Concentration

32,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

6/11/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 060424-11

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 7

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		78	10	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 060424-11

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 8

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 6/4/2024

TIME SAMPLED:

DATE RECEIVED: 6/4/2024

TIME RECEIVED: 4:30 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D							
CHLORIDE EPA 300.0		19,000	1,000	mg/L (PPM)	KC/TR	6/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
2020704011.01	N. Buckeye Tank Battery	Miller Energy Co.
SAMPLED BY	COMPANY	GTA PROJECT #
Joshua Genrie	Gosling Czubak	060424-11

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-12d	6-4-24		GW	BTEX+4 + Chloride
2	MW-14d				
3	MW-15d				
4	MW-11d				
5	MW-13d				
6	MW-10d				
7	MW-4				
8	MW-4d				

BILL TO:	TempRec: ☐	On Ice? ☒ ☐	REPORT TO:
GCES	2.1°C		Eric Vincke
RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>[Signature]</i>	6-4-24/1630	<i>[Signature]</i>	6/4/24/1630
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			