

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC

Name:

ClientProj: 2020704011.01

GTA ProjNo: 102121-32

Site Addr: N. BUCKEYE TANK BATTERY

Sampled By: MARK STOVER/GCES

Date Rec: 10/21/2021

Time Rec: 2:44 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-12D	10/20/2021		WATER
2	MW-14D	10/20/2021		WATER
3	MW-15D	10/20/2021		WATER
4	MW-4	10/20/2021		WATER
5	MW-11D	10/20/2021		WATER
6	MW-1D	10/20/2021		WATER
7	MW-13D	10/20/2021		WATER
8	MW-10D	10/20/2021		WATER
9	MW-4D	10/20/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12D

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 1
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	102121-32
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	2
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	10/20/2021
		TIME SAMPLED:	
		DATE RECEIVED:	10/21/2021
	MI	TIME RECEIVED:	2:44 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-14D	SAMPLED BY:	MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	12	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	102121-32
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	3
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	10/20/2021
		TIME SAMPLED:	
		DATE RECEIVED:	10/21/2021
	MI	TIME RECEIVED:	2:44 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-15D	SAMPLED BY:	MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	3.4	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 4
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	28	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	1.3	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11D

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 5
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	16	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	102121-32
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	6
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	10/20/2021
		TIME SAMPLED:	
		DATE RECEIVED:	10/21/2021
	MI	TIME RECEIVED:	2:44 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-1D	SAMPLED BY:	MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	42	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-13D

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 7
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM
SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	78	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	102121-32
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	8
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	10/20/2021
		TIME SAMPLED:	
		DATE RECEIVED:	10/21/2021
	MI	TIME RECEIVED:	2:44 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-10D	SAMPLED BY:	MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	150	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	102121-32
PROJECT NO:	2020704011.01	GTA SAMPLE NO:	9
LOCATION:	N. BUCKEYE TANK BATTERY	DATE SAMPLED:	10/20/2021
		TIME SAMPLED:	
		DATE RECEIVED:	10/21/2021
	MI	TIME RECEIVED:	2:44 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-4D	SAMPLED BY:	MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	380	1.0	ug/L (PPB)	MR		10/22/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 1
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-12D						
	CHLORIDE EPA 300.0	16,000	1,000	mg/L (PPM)	TR	10/26/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

GTA PROJECT NO: 102121-32

GTA SAMPLE NO: 2

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

SAMPLED BY: MI
MARK STOVER/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-14D

CHLORIDE EPA 300.0

Concentration

43,000

LOD

2,000

Units

mg/L (PPM)

Analyst

TR

Date Completed

10/26/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 102121-32

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 3

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-15D

CHLORIDE EPA 300.0

Concentration

58,000

LOD

2,000

Units

mg/L (PPM)

Analyst

TR

Date Completed

10/26/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 102121-32

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 4

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-4						
	CHLORIDE EPA 300.0	14	10	mg/L (PPM)	TR	10/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 102121-32

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 5

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-11D

CHLORIDE EPA 300.0

Concentration

12,000

LOD

1,000

Units

mg/L (PPM)

Analyst

TR

Date Completed

10/26/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2020704011.01
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLED BY: MARK STOVER/GCES

GTA PROJECT NO: 102121-32
GTA SAMPLE NO: 6
DATE SAMPLED: 10/20/2021
TIME SAMPLED:
DATE RECEIVED: 10/21/2021
TIME RECEIVED: 2:44 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-1D							
CHLORIDE EPA 300.0		6,400	1,000	mg/L (PPM)	TR	10/26/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2020704011.01

LOCATION: N. BUCKEYE TANK BATTERY

GTA PROJECT NO: 102121-32

GTA SAMPLE NO: 7

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

SAMPLED BY: MI
MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-13D						
	CHLORIDE EPA 300.0	56,000	2,000	mg/L (PPM)	TR	10/26/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 102121-32

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 8

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-10D							
CHLORIDE EPA 300.0		41,000	2,000	mg/L (PPM)	TR	10/26/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 102121-32

PROJECT NO: 2020704011.01

GTA SAMPLE NO: 9

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 10/20/2021

TIME SAMPLED:

DATE RECEIVED: 10/21/2021

TIME RECEIVED: 2:44 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-4D							
CHLORIDE EPA 300.0		20,000	1,000	mg/L (PPM)	TR	10/26/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
2020704011.01	N. BUCKEYE TANK BATTERY	MILLER ENERGY
SAMPLED BY	COMPANY	GTA PROJECT #
MARK STOVER	G.C.E.S.	102121-32

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-12d	10-20-21		GW	ATEX +4, CHLORIDE
2	MW-14d				
3	MW-15d				
4	MW-4				
5	MW-11d				
6	MW-1d				
7	MW-13d				
8	MW-10d				
9	MW-4d				

BILL TO:

G.C.E.S.

REPORT TO:

ERIC VINCKE

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 10-21-21

[Signature] 10/21/21 2:44
REC 4.0°C
once

REQUESTED TAT



STANDARD



1 BUSINESS DAY



2 BUSINESS DAYS



3 BUSINESS DAYS