

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC
Name:
ClientProj:

Site Addr: N. BUCKEYE TANK BATTERY

GTA ProjNo: 112222-21

Sampled By: JOSHUA GERRIE/GCES
Date Rec: 11/22/2022
Time Rec: 5:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-12D	11/22/2022		WATER
2	MW-14D	11/22/2022		WATER
3	MW-15D	11/22/2022		WATER
4	MW-4	11/22/2022		WATER
5	MW-11D	11/22/2022		WATER
6	MW-1D	11/22/2022		WATER
7	MW-13D	11/22/2022		WATER
8	MW-10D	11/22/2022		WATER
9	MW-4D	11/22/2022		WATER
10	MW-3	11/22/2022		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 1
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		11/23/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-14D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 2
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	20	1.0	ug/L (PPB)	MR		11/23/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 3
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	2.6	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 4
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	45	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 5
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 6
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	72	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-13D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 7
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	120	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-10D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 8
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	250	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4D

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 9
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	510	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO:
LOCATION: N. BUCKEYE TANK BATTERY
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

GTA PROJECT NO: 112222-21
GTA SAMPLE NO: 10
DATE SAMPLED: 11/22/2022
TIME SAMPLED:
DATE RECEIVED: 11/22/2022
TIME RECEIVED: 5:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	2.1	1.0	ug/L (PPB)	MR		11/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	6.1	1.0					
Xylene(Total)	9.4	3.0					
1,2,4-Trimethylbenzene	25	1.0					
1,3,5-Trimethylbenzene	3.3	1.0					
Naphthalene	8.7	5.0					
2-Methylnaphthalene	6.1	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 1

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-12D

CHLORIDE EPA 300.0

Concentration

18,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 2

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-14D

CHLORIDE EPA 300.0

Concentration

40,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 3

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-15D

CHLORIDE EPA 300.0

Concentration

58,000

LOD

2,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 4

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

23

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 5

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-11D

CHLORIDE EPA 300.0

Concentration

2,300

LOD

50

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 6

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-1D

CHLORIDE EPA 300.0

Concentration

5,600

LOD

500

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 7

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-13D

CHLORIDE EPA 300.0

Concentration

59,000

LOD

2,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 8

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-10D

CHLORIDE EPA 300.0

Concentration

40,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

PROJECT NO:

GTA SAMPLE NO: 9

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4D

CHLORIDE EPA 300.0

Concentration

22,000

LOD

1,000

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 112222-21

GTA SAMPLE NO: 10

PROJECT NO:

LOCATION: N. BUCKEYE TANK BATTERY

DATE SAMPLED: 11/22/2022

TIME SAMPLED:

DATE RECEIVED: 11/22/2022

TIME RECEIVED: 5:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

Concentration

21

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

11/28/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2020704011.00	SITE NAME/ADDRESS N. Buckeye Tank Battery	COMPANY/NAME Miller Energy Co.
SAMPLED BY Joshua Gervie	COMPANY Gosling Czubak	GTA PROJECT # 112222-21

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-12D	11-22-22		GW	BTEX+4 & Chloride
2	MW-14D				
3	MW-15D				
4	MW-4				
5	MW-11D				
6	MW-1D				
7	MW-13D				
8	MW-10D				
9	MW-4D				
10	MW-3				

BILL TO: Miller Energy Co.	TempRec: ☐ Y ☒ N On Ice? ☒ ☐	REPORT TO: Eric Vincke
RELEASED BY 	DATE/TIME 11-22-22 / 1700	RECEIVED BY 
		DATE/TIME 11/22/22 1700
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		