

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC
Name:
ClientProj: 2021704005.10

GTA ProjNo: 120722-15

Site Addr: MT. PLEASANT CTB

Sampled By: BRENDAN RUPPEN/GCES

Date Rec: 12/7/2022

Time Rec: 4:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	12/6/2022	12:30 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2021704005.10

LOCATION: MT. PLEASANT CTB

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-3

GTA PROJECT NO: 120722-15

GTA SAMPLE NO: 1

DATE SAMPLED: 12/6/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 12/7/2022

TIME RECEIVED: 4:20 PM

SAMPLED BY: BRENDAN RUPPEN/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/10/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 120722-15

PROJECT NO: 2021704005.10

GTA SAMPLE NO: 1

LOCATION: MT. PLEASANT CTB

DATE SAMPLED: 12/6/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 12/7/2022

TIME RECEIVED: 4:20 PM

MI

SAMPLED BY: BRENDAN RUPPEN/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

12/13/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

