



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BABY OIL & GAS

Name:

ClientProj: 240224

GTA ProjNo: 082925-6

Site Addr: LASSA-SCHMUKAL

Sampled By: FERN SEXTON/GCES

Date Rec: 8/29/2025

Time Rec: 10:39 AM

Sample No. Sample ID
1 MW-3

Date Sampled
8/29/2025

Time Sampled
9:50 AM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BABY OIL & GAS
PROJECT NO: 240224
LOCATION: LASSA-SCHMUKAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

GTA PROJECT NO: 082925-6
GTA SAMPLE NO: 1
DATE SAMPLED: 8/29/2025
TIME SAMPLED: 9:50 AM
DATE RECEIVED: 8/29/2025
TIME RECEIVED: 10:39 AM

SAMPLED BY: FERN SEXTON/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/3/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BABY OIL & GAS
PROJECT NO: 240224
LOCATION: LASSA-SCHMUKAL

MI
SAMPLED BY: FERN SEXTON/GCES

GTA PROJECT NO: 082925-6
GTA SAMPLE NO: 1

DATE SAMPLED: 8/29/2025
TIME SAMPLED: 9:50 AM

DATE RECEIVED: 8/29/2025
TIME RECEIVED: 10:39 AM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

ND

350

LOD

10

1.0

Units

mg/L (PPM)

uS/cm@25C

Analyst

KC/TR

TR

Date Completed

9/8/2025

9/3/2025

Sample Matrix

WATER

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

