



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 3588
GTA ProjNo: 101221-1

Site Addr: PARKVIEW SERVICE CENTER

Sampled By: JIM ROSSI/COMPLIANCE
Date Rec: 10/12/2021
Time Rec: 9:10 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	10/11/2021	10:49 AM	WATER
2	MW-2	10/11/2021	9:58 AM	WATER
3	MW-9	10/11/2021	9:28 AM	WATER
4	MW-11	10/11/2021	10:20 AM	WATER
5	MW-13A	10/11/2021	11:35 AM	WATER
6	MW-19	10/11/2021	11:58 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse
Analytical 830 Robinwood
Court Traverse City, MI
49686 Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 101221-1

GTA SAMPLE NO: 2

PROJECT NO: 3588

LOCATION: PARKVIEW SERVICE CENTER

DATE SAMPLED: 10/11/2021

TIME SAMPLED: 9:58 AM

DATE RECEIVED: 10/12/2021

TIME RECEIVED: 9:10 AM

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-2

SAMPLED BY: JIM ROSSI/COMPLIANCE

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	2.3	1.0	ug/L (PPB)	MR		10/12/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	3.8	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	42	5.0					
2-Methylnaphthalene	110	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 3588

LOCATION: PARKVIEW SERVICE CENTER

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-9

GTA PROJECT NO: 101221-1

GTA SAMPLE NO: 3

DATE SAMPLED: 10/11/2021

TIME SAMPLED: 9:28 AM

DATE RECEIVED: 10/12/2021

TIME RECEIVED: 9:10 AM

SAMPLED BY: JIM ROSSI/COMPLIANCE

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/13/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	11	1.0					
1,3,5-Trimethylbenzene	2.1	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	15	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 3588
 LOCATION: PARKVIEW SERVICE CENTER

GTA PROJECT NO: 101221-1
 GTA SAMPLE NO: 5

DATE SAMPLED: 10/11/2021
 TIME SAMPLED: 11:35 AM
 DATE RECEIVED: 10/12/2021
 TIME RECEIVED: 9:10 AM

SAMPLED BY: JIM ROSSI/COMPLIANCE

SAMPLE MATRIX: WATER
 SAMPLE ID: MW-13A

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed=10/13/2021 Prep Method=EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	22	1.0
s-BUTYLBENZENE	21	1.0
t-BUTYLBENZENE	5.6	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	9.8	1.0
ISOPROPYLTOLUENE	9.4	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	35	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	20	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	530	5.0
1,3,5-TRIMETHYLBENZENE	130	5.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	3.2	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 3588
 LOCATION: PARKVIEW SERVICE CENTER

GTA PROJECT NO: 101221-1
 GTA SAMPLE NO: 6

DATE SAMPLED: 10/11/2021
 TIME SAMPLED: 11:58 AM
 DATE RECEIVED: 10/12/2021
 TIME RECEIVED: 9:10 AM

SAMPLED BY: JIM ROSSI/COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: MW-19

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 10/12/2021 Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	4.2	1.0
s-BUTYLBENZENE	3.0	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	1.9	1.0
ISOPROPYLTOLUENE	3.7	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	8.8	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	3.6	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	71	1.0
1,3,5-TRIMETHYLBENZENE	21	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	3.9	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.


CHAIN OF CUSTODY

PROJECT NUMBER 3588	SITE NAME/ADDRESS Parkview Service Center	COMPANY/NAME Compliance, Inc
SAMPLED BY J. Rossi	COMPANY Compliance, Inc.	GTA PROJECT # 101221-1

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	10-11-21	10:49	Water	Unleaded Gas Scan
2	MW-2	↓	9:58	↓	" " "
3	MW-9		9:29		" " "
4	MW-11		10:20		" " "
5	MW-13a		11:35		Full VOCs
6	MW-19		11:58		Full VOCs

BILL TO: Compliance	TempRec: <input type="checkbox"/> 0.2°C	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO: Jim Rossi
-------------------------------	---	--	--------------------------------

RELEASED BY James E Rossi	DATE/TIME 10-12-21	RECEIVED BY 	DATE/TIME 10-12-21 9:10A
-------------------------------------	------------------------------	---	------------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS