

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.

Name:

ClientProj: 4207

GTA ProjNo: 043019-8

Site Addr: 187 N. RIVER AVE

HOLLAND

Sampled By: RAY ANDRASI/COMPLIANCE INC.

Date Rec: 4/30/2019

Time Rec: 4:50 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	GP-1	4/29/2019		WATER
2	GP-2	4/29/2019		WATER
3	GP-3	4/29/2019		WATER
4	GP-6	4/29/2019		WATER
5	GP-7	4/29/2019		WATER
6	WELL 7	4/29/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
HOLLAND
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.

GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 1
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM

SAMPLE MATRIX: WATER

SAMPLE ID: GP-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 5/1/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
HOLLAND
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.

GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 2
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM

SAMPLE MATRIX: WATER

SAMPLE ID: GP-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 5/2/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
SAMPLED BY: HOLLAND
RAY ANDRASI/COMPLIANCE INC.

GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 3
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM

SAMPLE MATRIX: WATER

SAMPLE ID: GP-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 5/2/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	7.6	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	4.2	1.0
s-BUTYLBENZENE	1.6	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	33	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	8.5	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	29	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	56	1.0
1,3,5-TRIMETHYLBENZENE	21	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	88	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
HOLLAND
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.
SAMPLE MATRIX: WATER
SAMPLE ID: GP-6

GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 4
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 5/1/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	1.2	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
SAMPLED BY: HOLLAND
RAY ANDRASI/COMPLIANCE INC.

GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 5
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM

SAMPLE MATRIX: WATER

SAMPLE ID: GP-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 5/1/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 043019-8
PROJECT NO: 4207 GTA SAMPLE NO: 2
LOCATION: 187 N. RIVER AVE
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
HOLLAND
MI
DATE RECEIVED: 4/30/2019
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC. TIME RECEIVED: 4:50 PM
SAMPLE MATRIX: WATER
SAMPLE ID: GP-2

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/2/2019	5/5/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	043019-8
PROJECT NO:	4207	GTA SAMPLE NO:	3
LOCATION:	187 N. RIVER AVE	DATE SAMPLED:	4/29/2019
		TIME SAMPLED:	
	HOLLAND	DATE RECEIVED:	4/30/2019
	MI	TIME RECEIVED:	4:50 PM
SAMPLED BY:	RAY ANDRASI/COMPLIANCE INC.		
SAMPLE MATRIX:	WATER		
SAMPLE ID:	GP-3		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/2/2019	5/5/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	043019-8
PROJECT NO:	4207	GTA SAMPLE NO:	4
LOCATION:	187 N. RIVER AVE	DATE SAMPLED:	4/29/2019
		TIME SAMPLED:	
	HOLLAND	DATE RECEIVED:	4/30/2019
	MI	TIME RECEIVED:	4:50 PM
SAMPLED BY:	RAY ANDRASI/COMPLIANCE INC.		
SAMPLE MATRIX:	WATER		
SAMPLE ID:	GP-6		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/2/2019	5/5/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	043019-8
PROJECT NO:	4207	GTA SAMPLE NO:	5
LOCATION:	187 N. RIVER AVE	DATE SAMPLED:	4/29/2019
		TIME SAMPLED:	
	HOLLAND	DATE RECEIVED:	4/30/2019
	MI	TIME RECEIVED:	4:50 PM
SAMPLED BY:	RAY ANDRASI/COMPLIANCE INC.		
SAMPLE MATRIX:	WATER		
SAMPLE ID:	GP-7		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/2/2019	5/5/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 1
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
HOLLAND
MI
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC. SAMPLE MATRIX: WATER
SAMPLE ID: GP-1

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CADMIUM TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM DISSOLVED EPA 200.8	0.0084	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM TOTAL EPA 200.8	0.019	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD TOTAL EPA 200.8	0.0080	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 3
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
HOLLAND
MI
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC. SAMPLE MATRIX: WATER
SAMPLE ID: GP-3

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CADMIUM TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM DISSOLVED EPA 200.8	0.010	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM TOTAL EPA 200.8	0.018	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD TOTAL EPA 200.8	0.011	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 043019-8
GTA SAMPLE NO: 5
PROJECT NO: 4207
LOCATION: 187 N. RIVER AVE
DATE SAMPLED: 4/29/2019
TIME SAMPLED:
HOLLAND
MI
DATE RECEIVED: 4/30/2019
TIME RECEIVED: 4:50 PM
SAMPLED BY: RAY ANDRASI/COMPLIANCE INC. SAMPLE MATRIX: WATER
SAMPLE ID: GP-7

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CADMIUM TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM DISSOLVED EPA 200.8	ND	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
CHROMIUM TOTAL EPA 200.8	ND	0.0020	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD DISSOLVED EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A
LEAD TOTAL EPA 200.8	ND	0.0010	mg/L (PPM)	MR/TR	5/6/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4207

LOCATION: 187 N. RIVER AVE

HOLLAND
MI

SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.

SAMPLE ID: WELL 7

GTA PROJECT NO: 043019-8

GTA SAMPLE NO: 6

DATE SAMPLED: 4/29/2019

TIME SAMPLED:

DATE RECEIVED: 4/30/2019

TIME RECEIVED: 4:50 PM

SAMPLE MATRIX: WATER

METALS**Analysis**

LEAD TOTAL EPA 200.8

Concentration

0.0028

LOD

0.0010 mg/L (PPM)

Units**Analyst**

MR/TR

**Date
Completed**

5/6/2019

**Digestion
Method**

EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 4207	SITE NAME/ADDRESS 187 N. River Ave, Holland	COMPANY/NAME
SAMPLED BY Andrews	COMPANY Complan	GTA PROJECT # 043019-8

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	GP-1	4-29-19		WTR	VOC's cd, ck, pb (tot dis)
2	GP-2	"		"	VOL's; PNA's no metals
3	GP-3	"		"	" " cd, ck, pb (tot dis)
4	GP-6	"		"	" " no metals
5	GP-7	"		"	" " cd, ck, pb (tot dis)
6	Well 7	4-29-19		WTR	pb mly (tot)

BILL TO: *Complan*

REPORT TO:

RELEASED BY <i>Ray [Signature]</i>	DATE/TIME 4/30/19 @ 1650	RECEIVED BY <i>[Signature]</i>	DATE/TIME 4/30/19 1650 REC 4.0°C Once
---------------------------------------	------------------------------------	-----------------------------------	---

REQUESTED TAT ☐ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS