



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: OTWELL MAWBY, P.C.
Name:
ClientProj: 99-002
GTA ProjNo: 071918-2

Site Addr: STARCUTTER

Sampled By: JOHN MAWBY/OMPC
Date Rec: 7/19/2018
Time Rec: 4:18 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	PT-2	7/19/2018		WATER
2	PT-3	7/19/2018		WATER
3	PT-4	7/19/2018		WATER
4	PT-1	7/19/2018		WATER
5	MW-14S	7/19/2018		WATER
6	MW-14I	7/19/2018		WATER
7	MW-14D	7/19/2018		WATER
8	MW-15S	7/19/2018		WATER
9	MW-15I	7/19/2018		WATER
10	MW-15D	7/19/2018		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 1
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: PT-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	28	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	1.7	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 2
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: PT-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	7.1	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 3
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: PT-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	24	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	1.7	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 4
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: PT-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	29	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	2.5	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 5
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER

SAMPLE ID: MW-14S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	12	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	3.0	1.0
cis-1,2-DICHLOROETHENE	1.0	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 6
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER

SAMPLE ID: MW-14I

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	3.6	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 7
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: MW-14D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 8
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER

SAMPLE ID: MW-15S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	36	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	2.9	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 9
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER

SAMPLE ID: MW-15I

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	19	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: OTWELL MAWBY, P.C.
 PROJECT NO: 99-002
 LOCATION: STARCUTTER

GTA PROJECT NO: 071918-2
 GTA SAMPLE NO: 10
 DATE SAMPLED: 7/19/2018
 TIME SAMPLED:
 DATE RECEIVED: 7/19/2018
 TIME RECEIVED: 4:18 PM

SAMPLED BY: JOHN MAWBY/OMPC

SAMPLE MATRIX: WATER
 SAMPLE ID: MW-15D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/23/2018

Prep

EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.

CHAIN OF CUSTODY


PROJECT NUMBER 99-002	SITE NAME/ADDRESS StarCutter	COMPANY/NAME OMPC
SAMPLED BY John Mawby	COMPANY OMPC	GTA PROJECT # 071918-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	PF-2	7-19-18	AM	Water	VOC's
2	PT-3				
3	PT-4				
4	PT-1				
5	MW-14 S				
6	MW-14 I				
7	MW-14 D				
8	MW-15 S				
9	MW-15 I				
10	MW-15 D				

BILL TO: OMPC

REPORT TO:
OMPC

RELEASED BY John Mawby	DATE/TIME 7-19-18 4:15	RECEIVED BY 	DATE/TIME 7/19/18 4:18 received
----------------------------------	-------------------------------------	--	--

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS