



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BECKMAN PRODUCTIONS
Name:
ClientProj: 180335-0100
GTA ProjNo: 051719-20

Site Addr: CORLEW
Sampled By: NJ/ECT
Date Rec: 5/17/2019
Time Rec: 2:35 PM

| Sample No. | Sample ID | Date Sampled | Time Sampled | Sample Matrix |
|------------|-----------|--------------|--------------|---------------|
| 1 | MW-1 | 5/17/2019 | | WATER |
| 2 | MW-2 | 5/17/2019 | | WATER |
| 3 | MW-3 | 5/17/2019 | | WATER |
| 4 | MW-4 | 5/17/2019 | | WATER |
| 5 | MW-5 | 5/17/2019 | | WATER |
| 6 | MW-6 | 5/17/2019 | | WATER |
| 7 | MW-7 | 5/17/2019 | | WATER |
| 8 | MW-8 | 5/17/2019 | | WATER |
| 9 | MW-9 | 5/17/2019 | | WATER |
| 10 | MW-10 | 5/17/2019 | | WATER |
| 11 | MW-11 | 5/17/2019 | | WATER |
| 12 | MW-13 | 5/17/2019 | | WATER |
| 13 | MW-14 | 5/17/2019 | | WATER |
| 14 | MW-15 | 5/17/2019 | | WATER |
| 15 | MW-16 | 5/17/2019 | | WATER |
| 16 | MW-17 | 5/17/2019 | | WATER |
| 17 | MW-18 | 5/17/2019 | | WATER |
| 18 | MW-19 | 5/17/2019 | | WATER |
| 19 | MW-20 | 5/17/2019 | | WATER |
| 20 | PW-1 | 5/17/2019 | | WATER |
| 21 | PW-2 | 5/17/2019 | | WATER |

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 1
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-1 | CHLORIDE EPA 300.0 | 20 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 2
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-2 | CHLORIDE EPA 300.0 | 750 | 50 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 3
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-3 | CHLORIDE EPA 300.0 | 410 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 4
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|---------------------------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: MW-4 CHLORIDE EPA 300.0 | 160 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 5
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-5 | CHLORIDE EPA 300.0 | 1,500 | 100 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 6
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|---------------------------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: MW-6 CHLORIDE EPA 300.0 | 12 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 7
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|---------------------------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: MW-7 CHLORIDE EPA 300.0 | 860 | 50 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 8
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-8 | CHLORIDE EPA 300.0 | 290 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 9
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-9 | CHLORIDE EPA 300.0 | 520 | 20 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 10
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-10 | CHLORIDE EPA 300.0 | 140 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 11
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-11 | CHLORIDE EPA 300.0 | 220 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 12
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-13 | CHLORIDE EPA 300.0 | 460 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 13
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-14 | CHLORIDE EPA 300.0 | 370 | 10 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 14
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-15 | CHLORIDE EPA 300.0 | 11,000 | 1,000 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 15
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-16 | CHLORIDE EPA 300.0 | 730 | 50 | mg/L (PPM) | LV | 5/23/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 051719-20
GTA SAMPLE NO: 16
DATE SAMPLED: 5/17/2019
TIME SAMPLED:
DATE RECEIVED: 5/17/2019
TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|--|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: MW-17 CHLORIDE EPA 300.0 | 47 | 10 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 17
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-18 | CHLORIDE EPA 300.0 | 2,000 | 100 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 18
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: MW-19 | CHLORIDE EPA 300.0 | ND | 10 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 19
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|--|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: MW-20 CHLORIDE EPA 300.0 | 69 | 10 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 20
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|-----------------|--------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| SAMPLE ID: PW-1 | CHLORIDE EPA 300.0 | 2,900 | 100 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 051719-20
 GTA SAMPLE NO: 21
 DATE SAMPLED: 5/17/2019
 TIME SAMPLED:
 DATE RECEIVED: 5/17/2019
 TIME RECEIVED: 2:35 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u> | <u>Sample</u> |
|------------|---------------------------------------|----------------------|------------|--------------|----------------|-------------|---------------|
| | SAMPLE ID: PW-2 CHLORIDE EPA 300.0 | 1,800 | 100 | mg/L (PPM) | LV | 5/24/2019 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

1 of 2

CHAIN OF CUSTODY

| | | |
|--------------------------------------|------------------------------------|-----------------------------------|
| PROJECT NUMBER 180335-0100 | SITE NAME/ADDRESS Corlew | COMPANY/NAME Beckman |
| SAMPLED BY NS | COMPANY ECT | GTA PROJECT # 051719-20 |

SAMPLE INFORMATION

| # | SAMPLE ID | DATE SAMPLED | TIME | MATRIX | ANALYSIS |
|----|-----------|--------------|------|--------|----------|
| 1 | MW-1 | 5/17/19 | | WTR | CL |
| 2 | MW-2 | ↓ | ↓ | ↓ | ↓ |
| 3 | MW-3 | | | | |
| 4 | MW-4 | | | | |
| 5 | MW-5 | | | | |
| 6 | MW-6 | | | | |
| 7 | MW-7 | | | | |
| 8 | MW-8 | | | | |
| 9 | MW-9 | | | | |
| 10 | MW-10 | | | | |
| 11 | MW-11 | | | | |
| 12 | MW-13 | | | | |
| 13 | MW-14 | | | | |
| 14 | MW-15 | | | | |
| 15 | MW-16 | | | | |

| | |
|-----------------------------------|----------------------------------|
| BILL TO: Beckman | REPORT TO: LISA |
|-----------------------------------|----------------------------------|

| | | | |
|------------------------------------|------------------------------------|------------------------------------|--|
| RELEASED BY Mujan | DATE/TIME 5-17-19 | RECEIVED BY K. Ch | DATE/TIME 5/17/19 2:35P |
|------------------------------------|------------------------------------|------------------------------------|--|

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

2020

CHAIN OF CUSTODY

| | | |
|--------------------------------------|------------------------------------|-----------------------------------|
| PROJECT NUMBER 180335-0100 | SITE NAME/ADDRESS Corlew | COMPANY/NAME Beckman |
| SAMPLED BY NJ | COMPANY ECT | GTA PROJECT # 051719-20 |

SAMPLE INFORMATION

| # | SAMPLE ID | DATE SAMPLED | TIME | MATRIX | ANALYSIS |
|---------------|-----------|--------------|------|--------|----------|
| 16 | MW-17 | 5-17-19 | | WTR | CL |
| 17 | MW-18 | ↓ | | ↓ | ↓ |
| 18 | MW-19 | | | | |
| 19 | MW-20 | | | | |
| 20 | PW-1 | | | | |
| 21 | PW-2 | | ↓ | ↓ | ↓ |
| 22 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | |
|-----------------------------------|----------------------------------|
| BILL TO: Beckman | REPORT TO: LISA |
|-----------------------------------|----------------------------------|

| | | | |
|-----------------------------------|------------------------------------|------------------------------------|--|
| RELEASED BY Mujc | DATE/TIME 5-17-19 | RECEIVED BY L. W. | DATE/TIME 5/17/19 2:35P |
|-----------------------------------|------------------------------------|------------------------------------|--|

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS