



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BECKMAN PRODUCTIONS
Name:
ClientProj: 180335-0100
GTA ProjNo: 102119-11

Site Addr: CORLEW
Sampled By: NJ/ECT
Date Rec: 10/21/2019
Time Rec: 12:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	10/18/2019		WATER
2	MW-2	10/18/2019		WATER
3	MW-3	10/18/2019		WATER
4	MW-4	10/18/2019		WATER
5	MW-5	10/18/2019		WATER
6	MW-6	10/18/2019		WATER
7	MW-7	10/18/2019		WATER
8	MW-8	10/18/2019		WATER
9	MW-9	10/18/2019		WATER
10	MW-10	10/18/2019		WATER
11	MW-11	10/18/2019		WATER
12	MW-13	10/18/2019		WATER
13	MW-14	10/18/2019		WATER
14	MW-15	10/18/2019		WATER
15	MW-16	10/18/2019		WATER
16	MW-17	10/18/2019		WATER
17	MW-18	10/18/2019		WATER
18	MW-19	10/18/2019		WATER
19	MW-20	10/18/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 1

DATE SAMPLED: 10/18/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	220	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 2
 DATE SAMPLED: 10/18/2019
 TIME SAMPLED:
 DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	640	50	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	2,600	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 3

DATE SAMPLED: 10/18/2019
 TIME SAMPLED:

DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-3						
	CHLORIDE EPA 300.0	250	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	1,200	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 4
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-4						
	CHLORIDE EPA 300.0	170	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	1,000	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 5
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5						
	CHLORIDE EPA 300.0	1,700	50	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	5,500	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 6
 DATE SAMPLED: 10/18/2019
 TIME SAMPLED:
 DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-6						
	CHLORIDE EPA 300.0	47	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	530	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 7

DATE SAMPLED: 10/18/2019
 TIME SAMPLED:

DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-7						
	CHLORIDE EPA 300.0	900	50	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	2,800	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 8
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8						
	CHLORIDE EPA 300.0	300	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	940	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 9
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-9						
	CHLORIDE EPA 300.0	570	20	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	2,000	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 10
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-10						
	CHLORIDE EPA 300.0	140	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	880	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 11
 DATE SAMPLED: 10/18/2019
 TIME SAMPLED:
 DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-11						
	CHLORIDE EPA 300.0	240	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	960	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 12
 DATE SAMPLED: 10/18/2019
 TIME SAMPLED:
 DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-13						
	CHLORIDE EPA 300.0	410	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	1,700	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 13

DATE SAMPLED: 10/18/2019
 TIME SAMPLED:

DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-14						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	220	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 14

DATE SAMPLED: 10/18/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-15						
	CHLORIDE EPA 300.0	12,000	1,000	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	29,000	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 15
 DATE SAMPLED: 10/18/2019
 TIME SAMPLED:
 DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-16						
	CHLORIDE EPA 300.0	750	50	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	2,900	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 16

DATE SAMPLED: 10/18/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-17						
	CHLORIDE EPA 300.0	170	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	660	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 17

DATE SAMPLED: 10/18/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-18						
	CHLORIDE EPA 300.0	2,100	50	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	6,200	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 180335-0100
 LOCATION: CORLEW

GTA PROJECT NO: 102119-11
 GTA SAMPLE NO: 18

DATE SAMPLED: 10/18/2019
 TIME SAMPLED:

DATE RECEIVED: 10/21/2019
 TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-19						
	CHLORIDE EPA 300.0	20	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	200	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 180335-0100
LOCATION: CORLEW

GTA PROJECT NO: 102119-11
GTA SAMPLE NO: 19
DATE SAMPLED: 10/18/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-20						
	CHLORIDE EPA 300.0	100	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	400	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 180335-0100	SITE NAME/ADDRESS CORLEW	COMPANY/NAME BECKMAN
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 102119-11

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	10-18-19		WTR	CL, COND
2	MW-2	↓			↓
3	MW-3				
4	MW-4				
5	MW-5				
6	MW-6				
7	MW-7				
8	MW-8				
9	MW-9				
10	MW-10				
11	MW-11				
12	MW-13				
13	MW-14				
14	MW-15				
15	MW-16				

BILL TO:

BECKMAN

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Lisa Jones 10-21-19

RECEIVED BY

DATE/TIME

K. Chen 10/21/19 12:55

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

