



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: BLODGETT OIL CO.  
Name:  
ClientProj: BOC PACIFIC PRIDE  
GTA ProjNo: 022625-1

Site Addr: 3600 S. US-27  
ST. JOHNS  
Sampled By: ZL/LYON ENV.  
Date Rec: 2/26/2025  
Time Rec: 12:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-6	2/22/2025	12:33 PM	WATER
2	MW-8	2/22/2025	11:53 AM	WATER
3	MW-9	2/22/2025	12:27 PM	WATER
4	MW-12	2/22/2025	11:11 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	BLODGETT OIL CO.	GTA PROJECT NO:	022625-1
PROJECT NO:	BOC PACIFIC PRIDE	GTA SAMPLE NO:	2
LOCATION:	3600 S. US-27	DATE SAMPLED:	2/22/2025
	ST. JOHNS	TIME SAMPLED:	11:53 AM
	MI	DATE RECEIVED:	2/26/2025
SAMPLED BY:	ZL/LYON ENV.	TIME RECEIVED:	12:20 PM
		SAMPLE ID:	MW-8
SAMPLE MATRIX:	WATER		

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	51	1.0	ug/L (PPB)	MR		2/27/2025	EPA 5030B
Toluene	3.9	1.0					
Ethylbenzene	200	10					
Xylene(Total)	42	3.0					
1,2,4-Trimethylbenzene	87	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	14	5.0					
2-Methylnaphthalene	ND	5.0					
1,2-Dibromoethane	ND	1.0					
1,2-Dichloroethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED  
 LOD = LIMIT OF DETECTION





