

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: GRT
Name:
ClientProj: DOT0201
GTA ProjNo: 051822-5

Site Addr: DUBIAS
MT. PLEASANT
Sampled By: MADDY DUNCKLEY/GRT
Date Rec: 5/18/2022
Time Rec: 3:30 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-21-02S	5/17/2022	11:38 AM	WATER
2	MW-21-02D	5/17/2022	11:49 AM	WATER
3	MW-21-01D	5/17/2022	12:16 PM	WATER
4	MW-21-01S	5/17/2022	12:19 PM	WATER
5	MW-22-01D	5/17/2022	12:53 PM	WATER
6	MW-22-01S	5/17/2022	12:59 PM	WATER
7	MW-22-02D	5/17/2022	1:27 PM	WATER
8	MW-22-02S	5/17/2022	1:36 PM	WATER
9	MW-20-01	5/17/2022	2:12 PM	WATER
10	MW-20-02	5/17/2022	2:07 PM	WATER
11	DUP 1	5/17/2022		WATER
12	PMW-3D	5/17/2022	2:42 PM	WATER
13	PMW-3S	5/17/2022	2:54 PM	WATER
14	MW-32D	5/17/2022	3:23 PM	WATER
15	MW-34D	5/17/2022	3:37 PM	WATER
16	DUP 2	5/17/2022		WATER
17	MW-35D	5/17/2022	3:51 PM	WATER
18	FIELD BLANK	5/17/2022	3:48 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT
SAMPLE MATRIX: WATER
SAMPLE ID: MW-21-02S

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 1
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 11:38 AM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 2
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 11:49 AM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-21-02D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 3
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 12:16 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-21-01D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 4
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 12:19 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-21-01S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 5
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 12:53 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-22-01D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 6

DATE SAMPLED: 5/17/2022
TIME SAMPLED: 12:59 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-22-01S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 7
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 1:27 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-22-02D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 8
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 1:36 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-22-02S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-20-01

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 9
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 2:12 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-20-02

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 10
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 2:07 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: DUP 1

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 11
DATE SAMPLED: 5/17/2022
TIME SAMPLED:
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: PMW-3D

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 12
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 2:42 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	190	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	2.9	1.0					
Ethylbenzene	1.2	1.0					
Xylene(Total)	3.6	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: PMW-3S

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 13
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 2:54 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	GRT	GTA PROJECT NO:	051822-5
PROJECT NO:	DOT0201	GTA SAMPLE NO:	14
LOCATION:	DUBIAS	DATE SAMPLED:	5/17/2022
	MT. PLEASANT	TIME SAMPLED:	3:23 PM
	MI	DATE RECEIVED:	5/18/2022
		TIME RECEIVED:	3:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-32D	SAMPLED BY:	MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	7,200	100	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-34D

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 15
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 3:37 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	6.1	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	7.2	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: DUP 2

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 16
DATE SAMPLED: 5/17/2022
TIME SAMPLED:
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	6.4	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	7.8	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-35D

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 17
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 3:51 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM
SAMPLED BY: MADDY DUNCKLEY/GRT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	9.1	1.0	ug/L (PPB)	MR		5/19/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT0201
LOCATION: DUBIAS
MT. PLEASANT
SAMPLED BY: MADDY DUNCKLEY/GRT

GTA PROJECT NO: 051822-5
GTA SAMPLE NO: 18
DATE SAMPLED: 5/17/2022
TIME SAMPLED: 3:48 PM
DATE RECEIVED: 5/18/2022
TIME RECEIVED: 3:30 PM

SAMPLE MATRIX: WATER
SAMPLE ID: FIELD BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Date Completed= 5/19/2022 Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

CHAIN OF CUSTODY

PROJECT NUMBER

DOT 0201

SITE NAME/ADDRESS

Dobias / Mt Pleasant, MI

COMPANY/NAME

SAMPLED BY

Maddy Dreckley

COMPANY

GRT

GTA PROJECT #

051822-5

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-21-02S	5/17	1138	GW	VOC list
2	MW-21-02 D		1149	GW	full VOC list
3	MW-21-01 D		1216		full VOC list
4	MW-21-01S		1219		full VOC list
5	MW-22-01D		1253		full VOC list
6	MW-22-01S		1259		full VOC list
7	MW-22-02 D		1327		full VOC list
8	MW-22-02S		1336		full VOC list
9	MW-20-01		1412		BTEX + 4
10	MW-20-02		1407		BTEX + 4
11	DUP 1		—		BTEX + 4
12	PMW-3D		1442		BTEX + 4
13	PMW-3S		1454		BTEX + 4
14	MW-32 D		1523		BTEX + 4
15	MW-34 D		1537		BTEX + 4

BILL TO:

REPORT TO:

RELEASED BY

DATE/TIME

Madeleine Dreckley

5/18/22

1530

RECEIVED BY

DATE/TIME

[Signature] 5/18/22 1530

3.0°C on ice

REQUESTED TAT

☐ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS

