

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: GRT
Name:
ClientProj: DOT9601
GTA ProjNo: 071020-2

Site Addr: MDOT C&T
LANSING
Sampled By: AK/GRT
Date Rec: 7/10/2020
Time Rec: 12:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-08-3	7/9/2020	1:38 PM	WATER
2	MW-08-19	7/9/2020	2:10 PM	WATER
3	MW-07-8	7/9/2020	1:01 PM	WATER
4	MW-08-2	7/9/2020	1:14 PM	WATER
5	DUP	7/9/2020	1:38 PM	WATER
6	MW-08-11	7/9/2020	12:08 PM	WATER
7	MW-08-17	7/9/2020	12:19 PM	WATER
8	MW-07-7	7/9/2020	12:47 PM	WATER
9	MW-08-12	7/9/2020	2:15 PM	WATER
10	MW-08-7	7/9/2020	11:39 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 1
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:38 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-3

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 2
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-19

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 3
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:01 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-07-8

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY:	GRT	GTA PROJECT NO:	071020-2
PROJECT NO:	DOT9601	GTA SAMPLE NO:	4
LOCATION:	MDOT C&T	DATE SAMPLED:	7/9/2020
	LANSING	TIME SAMPLED:	1:14 PM
	MI	DATE RECEIVED:	7/10/2020
SAMPLED BY:	AK/GRT	TIME RECEIVED:	12:45 PM
SAMPLE MATRIX:	WATER	SAMPLE ID:	MW-08-2

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 5
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:38 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: DUP

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 6
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 12:08 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-11

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 7
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 12:19 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-17

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY:	GRT	GTA PROJECT NO:	071020-2
PROJECT NO:	DOT9601	GTA SAMPLE NO:	8
LOCATION:	MDOT C&T	DATE SAMPLED:	7/9/2020
	LANSING	TIME SAMPLED:	12:47 PM
	MI	DATE RECEIVED:	7/10/2020
SAMPLED BY:	AK/GRT	TIME RECEIVED:	12:45 PM
SAMPLE MATRIX:	WATER	SAMPLE ID:	MW-07-7

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 9
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-12

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 10
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 11:39 AM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM
SAMPLE ID: MW-08-7

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		7/13/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 1
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:38 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-3
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
ND	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 2
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-19

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
78	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 3

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:01 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-07-8

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
360	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 4

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:14 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-2

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
16	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 5

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 1:38 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: DUP							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 6

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 12:08 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-08-11

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
41	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 7

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 12:19 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-17

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
10	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 8

DATE SAMPLED: 7/9/2020
TIME SAMPLED: 12:47 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-07-7

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
420	50	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 9
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-12

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
54	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 071020-2
GTA SAMPLE NO: 10
DATE SAMPLED: 7/9/2020
TIME SAMPLED: 11:39 AM
DATE RECEIVED: 7/10/2020
TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-7
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
17	10	mg/L (PPM)	LV	7/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER DOT 9601	SITE NAME/ADDRESS EST	COMPANY/NAME SIST
SAMPLED BY AARON KOSBLY	COMPANY EST	GTA PROJECT # 071020-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-08-3	7/9/20	1336	H ₂ O	CVOCST CHLORIDES
2	MW-08-19		1410		
3	MW-07-8		1301		
4	MW-08-2		1314		
5	DUP		1338		
6	MW-08-11		1208		
7	MW-08-17		1219		
8	MW-07-7		1247		
9	MW-08-12		1415		
10	MW-08-7		1139		

BILL TO: **RICHARD@GRTUSA.COM**

REPORT TO:
RICHARD@GRTUSA.COM

RELEASED BY ATK	DATE/TIME 7/10/20 1245	RECEIVED BY SV	DATE/TIME 7/10/20 1248
			rec'd 3°C
			on ice

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS