

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: GRT
Name:
ClientProj: DOT9601
GTA ProjNo: 013020-3

Site Addr: MDOT C&T
LANSING
Sampled By: AK/GRT
Date Rec: 1/30/2020
Time Rec: 1:25 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-08-7	1/28/2020	11:23 AM	WATER
2	MW-08-17	1/28/2020	11:53 AM	WATER
3	MW-08-11	1/28/2020	12:17 PM	WATER
4	MW-07-7	1/28/2020	1:02 PM	WATER
5	MW-07-8	1/28/2020	1:37 PM	WATER
6	DUP 1	1/28/2020	1:37 PM	WATER
7	MW-08-2	1/28/2020	2:07 PM	WATER
8	MW-08-3	1/28/2020	2:50 PM	WATER
9	MW-08-12	1/29/2020	8:45 AM	WATER
10	MW-08-19	1/29/2020	8:50 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 1
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 11:23 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-7

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 2
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 11:53 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-17

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 3
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 12:17 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-11

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 4
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 1:02 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-07-7

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY:	GRT	GTA PROJECT NO:	013020-3
PROJECT NO:	DOT9601	GTA SAMPLE NO:	5
LOCATION:	MDOT C&T	DATE SAMPLED:	1/28/2020
	LANSING	TIME SAMPLED:	1:37 PM
	MI	DATE RECEIVED:	1/30/2020
SAMPLED BY:	AK/GRT	TIME RECEIVED:	1:25 PM
SAMPLE MATRIX:	WATER	SAMPLE ID:	MW-07-8

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY:	GRT	GTA PROJECT NO:	013020-3
PROJECT NO:	DOT9601	GTA SAMPLE NO:	6
LOCATION:	MDOT C&T	DATE SAMPLED:	1/28/2020
	LANSING	TIME SAMPLED:	1:37 PM
	MI	DATE RECEIVED:	1/30/2020
SAMPLED BY:	AK/GRT	TIME RECEIVED:	1:25 PM
SAMPLE MATRIX:	WATER	SAMPLE ID:	DUP 1

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 7
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 2:07 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-2

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 8
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 2:50 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-3

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 9
DATE SAMPLED: 1/29/2020
TIME SAMPLED: 8:45 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-12

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT
SAMPLE MATRIX: WATER

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 10
DATE SAMPLED: 1/29/2020
TIME SAMPLED: 8:50 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM
SAMPLE ID: MW-08-19

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
1,1-Dichloroethane	ND	1.0	ug/L (PPB)	MR		1/31/2020	EPA 5030B
1,1-Dichloroethene	ND	1.0					
cis-1,2-Dichloroethene	ND	1.0					
trans-1,2-Dichloroethene	ND	1.0					
Methyl Isobutyl Ketone	ND	10					
Tetrachloroethene	ND	1.0					
Trichloroethene	ND	1.0					
Vinyl Chloride	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED, RESULTS < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 1

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 11:23 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-08-7
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
69	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 2

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 11:53 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-08-17						
	CHLORIDE EPA 300.0	65	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 3
DATE SAMPLED: 1/28/2020
TIME SAMPLED: 12:17 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-11

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
56	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 4

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 1:02 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-07-7

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
1,100	50	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 5

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 1:37 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-07-8

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
270	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 6

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 1:37 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: DUP 1							
CHLORIDE EPA 300.0		290	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 7

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 2:07 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-08-2
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
21	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T

LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 8

DATE SAMPLED: 1/28/2020
TIME SAMPLED: 2:50 PM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-08-3
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
ND	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 9
DATE SAMPLED: 1/29/2020
TIME SAMPLED: 8:45 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-08-12

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
60	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO: DOT9601
LOCATION: MDOT C&T
LANSING
MI
SAMPLED BY: AK/GRT

GTA PROJECT NO: 013020-3
GTA SAMPLE NO: 10
DATE SAMPLED: 1/29/2020
TIME SAMPLED: 8:50 AM
DATE RECEIVED: 1/30/2020
TIME RECEIVED: 1:25 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-08-19 CHLORIDE EPA 300.0	91	10	mg/L (PPM)	LV	1/31/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY



PROJECT NUMBER DOT 9610	SITE NAME/ADDRESS LANSING CIT	COMPANY/NAME GRT
SAMPLED BY AARON KOSOBUDY	COMPANY GRT	GTA PROJECT # 013020-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-08-7	1/28/20	1123	H ₂ O	CUOLCS + CHLORIDES
2	MW-08-17	↓	1153	↓	↓
3	MW-08-11		1217		
4	MW-07-7		1302		
5	MW-07-8		1337		
6	DUP1		1337		
7	MW-08-2	↓	1407	↓	↓
8	MW-08-3		1450		
9	MW-08-12		0845		
10	MW-08-19	↓	0850	↓	↓

BILL TO: RICHARD@grtusa.com

REPORT TO:
RICHARD@grtusa.com

RELEASED BY 	DATE/TIME 1/30/20 1:25	RECEIVED BY 	DATE/TIME 1/30/20 1:25 rec 4.0c
---	---------------------------	---	---------------------------------------

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS