

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: FORWARD CORP.
Name:
ClientProj: FORWARD ESSEXVILLE
GTA ProjNo: 062222-10

Site Addr: 1512 W. CENTER RD
ESSEXVILLE
Sampled By: ZL/LAING ENV.
Date Rec: 6/22/2022
Time Rec: 1:37 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-16	6/19/2022	12:42 PM	WATER
2	MW-17	6/19/2022	12:12 PM	WATER
3	MW-18	6/19/2022	12:48 PM	WATER
4	MW-20	6/19/2022	1:47 PM	WATER
5	MW-21	6/19/2022	1:13 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: FORWARD CORP.
PROJECT NO: FORWARD ESSEXVILLE
LOCATION: 1512 W. CENTER RD
ESSEXVILLE
MI
SAMPLED BY: ZL/LAING ENV.
SAMPLE MATRIX: WATER

GTA PROJECT NO: 062222-10
GTA SAMPLE NO: 1
DATE SAMPLED: 6/19/2022
TIME SAMPLED: 12:42 PM
DATE RECEIVED: 6/22/2022
TIME RECEIVED: 1:37 PM
SAMPLE ID: MW-16

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	2.9	1.0	ug/L (PPB)	MR		6/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					
1,2-Dichloroethane	ND	1.0					
1,2-Dibromoethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: FORWARD CORP.
PROJECT NO: FORWARD ESSEXVILLE
LOCATION: 1512 W. CENTER RD
ESSEXVILLE
MI
SAMPLED BY: ZL/LAING ENV.
SAMPLE MATRIX: WATER

GTA PROJECT NO: 062222-10
GTA SAMPLE NO: 2
DATE SAMPLED: 6/19/2022
TIME SAMPLED: 12:12 PM
DATE RECEIVED: 6/22/2022
TIME RECEIVED: 1:37 PM
SAMPLE ID: MW-17

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	2.5	1.0	ug/L (PPB)	MR		6/24/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					
1,2-Dichloroethane	ND	1.0					
1,2-Dibromoethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

COMPANY: FORWARD CORP.
PROJECT NO: FORWARD ESSEXVILLE
LOCATION: 1512 W. CENTER RD
ESSEXVILLE
MI
SAMPLED BY: ZL/LAING ENV.
SAMPLE MATRIX: WATER

GTA PROJECT NO: 062222-10
GTA SAMPLE NO: 3
DATE SAMPLED: 6/19/2022
TIME SAMPLED: 12:48 PM
DATE RECEIVED: 6/22/2022
TIME RECEIVED: 1:37 PM
SAMPLE ID: MW-18

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	41	1.0	ug/L (PPB)	MR		6/24/2022	EPA 5030B
Toluene	1.4	1.0					
Ethylbenzene	69	1.0					
Xylene(Total)	81	3.0					
1,2,4-Trimethylbenzene	110	1.0					
1,3,5-Trimethylbenzene	28	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	10	5.0					
2-Methylnaphthalene	5.2	5.0					
1,2-Dichloroethane	ND	1.0					
1,2-Dibromoethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

COMPANY: FORWARD CORP.
PROJECT NO: FORWARD ESSEXVILLE
LOCATION: 1512 W. CENTER RD
ESSEXVILLE
MI
SAMPLED BY: ZL/LAING ENV.
SAMPLE MATRIX: WATER

GTA PROJECT NO: 062222-10
GTA SAMPLE NO: 4
DATE SAMPLED: 6/19/2022
TIME SAMPLED: 1:47 PM
DATE RECEIVED: 6/22/2022
TIME RECEIVED: 1:37 PM
SAMPLE ID: MW-20

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	1,500	10	ug/L (PPB)	MR		6/24/2022	EPA 5030B
Toluene	6.4	1.0					
Ethylbenzene	35	1.0					
Xylene(Total)	11	3.0					
1,2,4-Trimethylbenzene	2.1	1.0					
1,3,5-Trimethylbenzene	2.6	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	13	5.0					
2-Methylnaphthalene	9.1	5.0					
1,2-Dichloroethane	ND	1.0					
1,2-Dibromoethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: FORWARD CORP.
PROJECT NO: FORWARD ESSEXVILLE
LOCATION: 1512 W. CENTER RD
ESSEXVILLE
MI
SAMPLED BY: ZL/LAING ENV.
SAMPLE MATRIX: WATER

GTA PROJECT NO: 062222-10
GTA SAMPLE NO: 5
DATE SAMPLED: 6/19/2022
TIME SAMPLED: 1:13 PM
DATE RECEIVED: 6/22/2022
TIME RECEIVED: 1:37 PM
SAMPLE ID: MW-21

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	190	1.0	ug/L (PPB)	MR		6/24/2022	EPA 5030B
Toluene	13	1.0					
Ethylbenzene	27	1.0					
Xylene(Total)	20	3.0					
1,2,4-Trimethylbenzene	9.4	1.0					
1,3,5-Trimethylbenzene	6.7	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	170	5.0					
2-Methylnaphthalene	120	5.0					
1,2-Dichloroethane	ND	1.0					
1,2-Dibromoethane	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

