

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj:

Site Addr: SEMI ANNUAL

GTA ProjNo: 051023-2

Sampled By: LMH-J/ECT
Date Rec: 5/10/2023
Time Rec: 9:10 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	ART CARNEY OW-1	5/8/2023		WATER
2	HAY MEADOW OW-1	5/8/2023		WATER
3	NICKERSON VALLEY OW-1	5/8/2023		WATER
4	PAIR-O-DICE OW-1	5/8/2023		WATER
5	VIENNA 1 OW-1	5/8/2023		WATER
6	VIENNA 2 OW-1	5/8/2023		WATER
7	VIENNA 3 OW-1	5/8/2023		WATER
8	VOYER LAKE OW-1	5/8/2023		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 051023-2
GTA SAMPLE NO: 1
DATE SAMPLED: 5/8/2023
TIME SAMPLED:
DATE RECEIVED: 5/10/2023
TIME RECEIVED: 9:10 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ART CARNEY OW-1						
	CHLORIDE EPA 300.0	25	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	640	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 051023-2

PROJECT NO:

GTA SAMPLE NO: 2

LOCATION: SEMI ANNUAL

DATE SAMPLED: 5/8/2023

TIME SAMPLED:

DATE RECEIVED: 5/10/2023

TIME RECEIVED: 9:10 AM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: HAY MEADOW OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	280	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 051023-2
GTA SAMPLE NO: 3
DATE SAMPLED: 5/8/2023
TIME SAMPLED:
DATE RECEIVED: 5/10/2023
TIME RECEIVED: 9:10 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: NICKERSON VALLEY OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	340	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 051023-2

PROJECT NO:

GTA SAMPLE NO: 4

LOCATION: SEMI ANNUAL

DATE SAMPLED: 5/8/2023

TIME SAMPLED:

DATE RECEIVED: 5/10/2023

TIME RECEIVED: 9:10 AM

SAMPLED BY: MI
LMH-J/ECT**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: PAIR-O-DICE OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	420	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 051023-2

PROJECT NO:

GTA SAMPLE NO: 5

LOCATION: SEMI ANNUAL

DATE SAMPLED: 5/8/2023

TIME SAMPLED:

DATE RECEIVED: 5/10/2023

TIME RECEIVED: 9:10 AM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VIENNA 1 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	430	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 051023-2

PROJECT NO:

GTA SAMPLE NO: 6

LOCATION: SEMI ANNUAL

DATE SAMPLED: 5/8/2023

TIME SAMPLED:

DATE RECEIVED: 5/10/2023

TIME RECEIVED: 9:10 AM

SAMPLED BY: MI
LMH-J/ECT**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VIENNA 2 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	550	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 051023-2

PROJECT NO:

GTA SAMPLE NO: 7

LOCATION: SEMI ANNUAL

DATE SAMPLED: 5/8/2023

TIME SAMPLED:

DATE RECEIVED: 5/10/2023

TIME RECEIVED: 9:10 AM

SAMPLED BY: MI
LMH-J/ECT**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VIENNA 3 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	710	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 051023-2
GTA SAMPLE NO: 8
DATE SAMPLED: 5/8/2023
TIME SAMPLED:
DATE RECEIVED: 5/10/2023
TIME RECEIVED: 9:10 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VOYER LAKE OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/18/2023	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	TR	5/18/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS <i>Semi annual</i>	COMPANY/NAME <i>Jordan</i>
SAMPLED BY <i>LMH-J</i>	COMPANY <i>ECT</i>	GTA PROJECT # <i>05p23-2</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	Art Carney ow-1	5-8-23		WTR	CL, COND
2	Hay meadow ow-1	↓		↓	↓
3	Nickerson Valley ow-1				
4	Pair O Dice ow-1				
5	Vienna 1 ow-1				
6	Vienna 2 ow-1				
7	Vienna 3 ow-1				
8	VOYER LAKE OW-1			↓	↓

BILL TO: <i>Jordan</i>	TempRec: ☐ Y ☒ N On Ice? ☐ ☐	REPORT TO: <i>Lisa</i>
RELEASED BY <i>Lisa H. Jones</i>	DATE/TIME <i>5-10-23</i>	RECEIVED BY <i>[Signature]</i>
		DATE/TIME <i>5-10-23 9:10 A</i>
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		