

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj:

Site Addr: SEMI ANNUAL

GTA ProjNo: 092925-14

Sampled By: LEL/ECT

Date Rec: 9/29/2025

Time Rec: 4:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BLACK ANTRIM OW-1	9/26/2025		WATER
2	DOVER WEST OW-1	9/26/2025		WATER
3	DOVER WEST OW-3	9/26/2025		WATER
4	SAWDUST OW-1	9/26/2025		WATER
5	ST. FREDERIC 1-6 OW-1	9/29/2025		WATER
6	VIENNA 1 OW-1	9/29/2025		WATER
7	VIENNA 3 OW-1	9/29/2025		WATER
8	PAIR-O-DICE OW-1	9/29/2025		WATER
9	VIENNA 2 OW-1	9/29/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: GTA PROJECT NO: 092925-14
LOCATION: SEMI ANNUAL
DATE SAMPLED: 9/26/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM
MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BLACK ANTRIM OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
	CONDUCTIVITY SM2510-B	700	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 2
DATE SAMPLED: 9/26/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: DOVER WEST OW-1						
CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
CONDUCTIVITY SM2510-B	510	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: GTA PROJECT NO: 092925-14
LOCATION: SEMI ANNUAL
DATE SAMPLED: 9/26/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM
MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: DOVER WEST OW-3						
CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
CONDUCTIVITY SM2510-B	490	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 4
DATE SAMPLED: 9/26/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: SAWDUST OW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
130	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: ST. FREDERIC 1-6 OW-1

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 5
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM
SAMPLED BY: LEL/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/30/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 5
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ST. FREDERIC 1-6 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
	CONDUCTIVITY SM2510-B	210	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 6
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: VIENNA 1 OW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

KC/TR

10/6/2025

WATER

490

1.0

uS/cm@25C

TR

10/6/2025

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 7
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: VIENNA 3 OW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

KC/TR

10/6/2025

WATER

130

1.0

uS/cm@25C

TR

10/6/2025

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 8
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: PAIR-O-DICE OW-1						
CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
CONDUCTIVITY SM2510-B	320	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 092925-14
GTA SAMPLE NO: 9
DATE SAMPLED: 9/29/2025
TIME SAMPLED:
DATE RECEIVED: 9/29/2025
TIME RECEIVED: 4:20 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: VIENNA 2 OW-1	ND	10	mg/L (PPM)	KC/TR	10/6/2025	WATER
CHLORIDE EPA 300.0						
CONDUCTIVITY SM2510-B	520	1.0	uS/cm@25C	TR	10/6/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Semi ANNUAL	Jordan
SAMPLED BY	COMPANY	GTA PROJECT #
LEL	ECT	09292514

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	BLACK ANTRIM ^{ow-1}	9-26-25		WTR	CL, COND
2	Dover West CW-1	↓		↓	↓
3	Dover West CW-3	↓		↓	↓
4	Sawdust OW-1	↓		↓	↓
5	ST. FREDRIC 1-6 ^{ow-1}	9-29-25			CL, BTEX, COND
6	VIENNA 10W-1	↓		↓	CL, COND
7	VIENNA 30W-1	↓		↓	↓ ↓
8	PAIR-O-DICE ^{ow-1}	↓		↓	↓ ↓
9	Vienna 2 ^{ow-1}	↓		↓	↓ ↓

BILL TO:	TempRec: ☐	On Ice? ☒ Y ☐ N	REPORT TO:
JORDAN	1.3°C		Lisa
RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
LEL	9/29/25 16:20	Adelphi	9/29/25 16:20
REQUESTED TAT	☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		