

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj:

Site Addr: SEMI ANNUAL SITES

GTA ProjNo: 061119-17

Sampled By: NJ/ECT

Date Rec: 6/11/2019

Time Rec: 1:40 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	451 RUM OW-1	5/28/2019		WATER
2	ART CARNEY OW-1	5/28/2019		WATER
3	DUNCAN D4-13 OW-1	5/28/2019		WATER
4	FARMER IN THE DELL OW-1	5/28/2019		WATER
5	MILTON BRADLEY NORTH OW-1	5/28/2019		WATER
6	NICKERSON VALLEY OW-1	5/28/2019		WATER
7	SCHRODER OW-1	5/28/2019		WATER
8	VOYER LAKE OW-1	5/28/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 1
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: 451 RUM OW-1						
CHLORIDE EPA 300.0	46	10	mg/L (PPM)	LV	6/14/2019	WATER
CONDUCTIVITY SM2510-B	680	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 2
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ART CARNEY OW-1						
	CHLORIDE EPA 300.0	41	10	mg/L (PPM)	LV	6/14/2019	WATER
	CONDUCTIVITY SM2510-B	770	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 3
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: DUNCAN D4-13 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/14/2019	WATER
	CONDUCTIVITY SM2510-B	610	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 4
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FARMER IN THE DELL OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/14/2019	WATER
	CONDUCTIVITY SM2510-B	460	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 5
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MILTON BRADLEY NORTH OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/15/2019	WATER
	CONDUCTIVITY SM2510-B	550	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 6
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: NICKERSON VALLEY OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/15/2019	WATER
	CONDUCTIVITY SM2510-B	220	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 7
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SCHRODER OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/15/2019	WATER
	CONDUCTIVITY SM2510-B	520	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO:
LOCATION: SEMI ANNUAL SITES
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 061119-17
GTA SAMPLE NO: 8
DATE SAMPLED: 5/28/2019
TIME SAMPLED:
DATE RECEIVED: 6/11/2019
TIME RECEIVED: 1:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VOYER LAKE OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/15/2019	WATER
	CONDUCTIVITY SM2510-B	180	1.0	uS/cm@25C	LV	6/14/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Semi annual Sites	Jordan
SAMPLED BY	COMPANY	GTA PROJECT #
NJ	ECT	061119-17

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	451 Rum ow-1	5-28-19		WTR	CL, COND
2	Art Carney ow-1				
3	Puncan 24-13 ow-1				
4	Farmer in the Dell ow-1				
5	Milton Bradley North ow-1				
6	Nickerson Valley ow-1				
7	Schroder ow-1				
8	Voyer Lake ow-1				

BILL TO:

Jordan

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Lisa H. form 6-11-19

RECEIVED BY

DATE/TIME

K. H. 6/11/19 1:40p

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS