

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 200838-1400
GTA ProjNo: 042821-10

Site Addr: SEMI ANNUAL SITES

Sampled By: NJ/ECT
Date Rec: 4/28/2021
Time Rec: 3:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BRILEY 34 MW-5R	4/28/2021		WATER
2	LOUD 13 MW-3R	4/28/2021		WATER
3	LOUD 15 MW-3	4/28/2021		WATER
4	NORTH HARDWOODS MW-4	4/28/2021		WATER
5	SAGE CREEK MW-8	4/28/2021		WATER
6	SAGE CREEK MW-8R	4/28/2021		WATER
7	W. ALBERT 11 MW-5	4/28/2021		WATER
8	W. ALBERT 31 MW-4	4/28/2021		WATER
9	W. ALBERT 31 MW-6	4/28/2021		WATER
10	DOVER 36 MW-1	4/28/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 1

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BRILEY 34 MW-5R						
	CHLORIDE EPA 300.0	23	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	520	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 2

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: LOUD 13 MW-3R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	470	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 3

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: LOUD 15 MW-3						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	360	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 4

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: NORTH HARDWOODS MW-4							
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	280	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 5

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SAGE CREEK MW-8						
	CHLORIDE EPA 300.0	51	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	400	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 6

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SAGE CREEK MW-8R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	500	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 7

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: W. ALBERT 11 MW-5						
	CHLORIDE EPA 300.0	22	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	410	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 8

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: W. ALBERT 31 MW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	310	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 9

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: W. ALBERT 31 MW-6						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	330	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-1400
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 042821-10
GTA SAMPLE NO: 10

DATE SAMPLED: 4/28/2021
TIME SAMPLED:

DATE RECEIVED: 4/28/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: DOVER 36 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/29/2021	WATER
	CONDUCTIVITY SM2510-B	110	1.0	uS/cm@25C	TR	4/29/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 200838-1400	SITE NAME/ADDRESS SEMI ANNUAL SITES	COMPANY/NAME RIVERSIDE
SAMPLED BY NU	COMPANY ECT	GTA PROJECT # 042821-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	BRILEY 34 MW-5R	4-28-21		WTR	CL, COND
2	LOUD 13 MW-3R				
3	LOUD 15 MW-3				
4	NORTH HARDWOODS MW-4				
5	SAGE CREEK MW-8				
6	SAGE CREEK MW-8R				
7	W. ALBERT 11 MW-5				
8	W. ALBERT 31 MW-4				
9	W. ALBERT 31 MW-6				
10	DOVER 36 MW-1				

BILL TO:

RIVERSIDE

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Lisa H Jones 4-28-21 3:00

RECEIVED BY

DATE/TIME

AV 4/28/21 3:00

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS