

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: i80303-0200
GTA ProjNo: 052120-6

Site Addr: SEMI ANNUAL

Sampled By: NJ/ECT
Date Rec: 5/21/2020
Time Rec: 4:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BROAD D1-10 SWD MW-2	5/20/2020		WATER
2	BROAD D1-10 SWD MW-4	5/20/2020		WATER
3	CALDONIA C4-1 MW-5	5/20/2020		WATER
4	COMSTOCK HILLS MW-4	5/20/2020		WATER
5	COMSTOCK HILLS MW-4R	5/20/2020		WATER
6	COMSTOCK HILLS MW-6	5/20/2020		WATER
7	DOCTORS CLUB MW-3	5/20/2020		WATER
8	DOCTORS CLUB MW-4	5/20/2020		WATER
9	DOCTORS CLUB MW-7	5/20/2020		WATER
10	GAISHIN BOOSTER L.D.	5/20/2020		WATER
11	HUBBARD LAKE MW-1R	5/20/2020		WATER
12	LOST LAKE WOODS MW-4R	5/20/2020		WATER
13	NORTH BAY MW-4R	5/20/2020		WATER
14	SCHMITT CREEK OW-1	5/20/2020		WATER
15	SCOTT CREEK MW-5	5/20/2020		WATER
16	45 PARALLEL MW-4	5/20/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L. Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 1

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: BROAD D1-10 SWD MW-2							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	330	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 2

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: BROAD D1-10 SWD MW-4							
	CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	680	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 3

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CALDONIA C4-1 MW-5						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	370	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 4

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: COMSTOCK HILLS MW-4							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	580	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 5

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: COMSTOCK HILLS MW-4R							
	CHLORIDE EPA 300.0	110	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	920	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 6

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: COMSTOCK HILLS MW-6							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	570	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 7

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: DOCTORS CLUB MW-3						
	CHLORIDE EPA 300.0	41	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	1,200	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 8

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: DOCTORS CLUB MW-4							
	CHLORIDE EPA 300.0	12	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	580	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 9

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: DOCTORS CLUB MW-7							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	1,100	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 10

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GAISHIN BOOSTER L.D.							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	200	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 11

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: HUBBARD LAKE MW-1R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	100	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 12

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: LOST LAKE WOODS MW-4R							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	610	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 13

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: NORTH BAY MW-4R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	500	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 14

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SCHMITT CREEK OW-1						
	CHLORIDE EPA 300.0	65	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	920	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 15

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SCOTT CREEK MW-5						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	260	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 052120-6
GTA SAMPLE NO: 16

DATE SAMPLED: 5/20/2020
TIME SAMPLED:

DATE RECEIVED: 5/21/2020
TIME RECEIVED: 4:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: 45 PARALLEL MW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	5/27/2020	WATER
	CONDUCTIVITY SM2510-B	640	1.0	uS/cm@25C	TR	5/27/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 180303-0200	SITE NAME/ADDRESS Semiannual	COMPANY/NAME Riverside
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 092120-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	Brook DI-10 SWD MW-2	5-20-20		WTR	CL, COND
2	Brook DI-10 SWD MW-4				
3	Caldonia C4-1 MW-5				
4	Comstock Hills MW-4				
5	Comstock Hills MW-4R				
6	Comstock Hills MW-6				
7	Doctors Club MW-3				
8	Doctors Club MW-4				
9	Doctors Club MW-7				
10	Gaishin Booster L.D.				
11	Hubbard Lake MW-1R				
12	Last Lake Woods MW-4R				
13	North Bay MW-4R				
14	Schmitt Creek OW-1				
15	Scott Creek MW-5				

BILL TO: ECT	REPORT TO: Lisa
------------------------	---------------------------

RELEASED BY Lisa H Jones	DATE/TIME 5/21/20	RECEIVED BY [Signature]	DATE/TIME 5/21/20 9:45
------------------------------------	-----------------------------	-----------------------------------	----------------------------------

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS