

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 180303-0200

Site Addr: SEMI ANNUAL

GTA ProjNo: 102119-12

Sampled By: NJ/ECT
Date Rec: 10/21/2019
Time Rec: 12:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	45TH PARALLEL MW-4	10/15/2019		WATER
2	BEAL D2-27 OW-1	10/15/2019		WATER
3	CENTRAL LAKE 13 MW-5	10/15/2019		WATER
4	CENTRAL LAKE 15 OW-1	10/15/2019		WATER
5	CLEARWATER 2 OW-1	10/15/2019		WATER
6	CLEARWATER CENTRAL OW-1	10/15/2019		WATER
7	CUSTER 7 OW-1	10/15/2019		WATER
8	CUSTER 15-20 OW-1	10/15/2019		WATER
9	CUSTER 33 MW-4R	10/15/2019		WATER
10	ECHO 9 MW-1	10/15/2019		WATER
11	ECHO 9 MW-2	10/15/2019		WATER
12	ECHO 10 OW-1	10/15/2019		WATER
13	ECHO 26 OW-1	10/15/2019		WATER
14	ECHO 30 NW	10/15/2019		WATER
15	ECHO 30 SW	10/15/2019		WATER
16	ECHO 30 SE	10/15/2019		WATER
17	ECHO 33 MW-4	10/14/2019		WATER
18	FOREST HOME 10 OW-1	10/14/2019		WATER
19	FOREST HOME 12 MW-1	10/14/2019		WATER
20	JARONESKI OW-1	10/14/2019		WATER
21	JORDAN 9 OW-1	10/14/2019		WATER
22	JORDAN 12 OW-1	10/14/2019		WATER
23	KEARNEY 2 MW-1	10/14/2019		WATER
24	KEARNEY 26 OW-1	10/14/2019		WATER
25	LAKES OF THE NORTH MW-4R	10/14/2019		WATER
26	MANCELONA 1 A1-32 MW-1	10/14/2019		WATER
27	MANCELONA 1 A1-32 MW-1R	10/14/2019		WATER
28	MANCELONA 8 MW-2	10/14/2019		WATER
29	MANCELONA 8 MW-2R	10/14/2019		WATER
30	MANCELONA D1-17 MW-1	10/14/2019		WATER
31	MANCELONA D1-17 MW-1R	10/14/2019		WATER
32	RAPID RIVER #3 OW-1	10/17/2019		WATER
33	SOUTH ARM 32 EAST	10/17/2019		WATER
34	SOUTH ARM 32 WEST	10/17/2019		WATER
35	WARNER 8 OW-1	10/17/2019		WATER
36	WARNER 10 OW-1	10/17/2019		WATER
37	ZIMMERMAN OYER OW-1	10/17/2019		WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 1

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: 45TH PARALLEL MW-4						
	CHLORIDE EPA 300.0	42	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	770	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 2

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BEAL D2-27 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	59	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 3

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CENTRAL LAKE 13 MW-5							
	CHLORIDE EPA 300.0	18	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	410	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 4

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CENTRAL LAKE 15 OW-1							
	CHLORIDE EPA 300.0	50	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	740	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 5

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CLEARWATER 2 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	44	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 6

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CLEARWATER CENTRAL OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	100	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 7

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 7 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	230	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 8

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 15-20 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	140	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 9

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 33 MW-4R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	410	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 10

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 9 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	400	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 11

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 9 MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	140	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 12

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 10 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	180	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 13

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 26 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/26/2019	WATER
	CONDUCTIVITY SM2510-B	62	1.0	uS/cm@25C	LV	10/25/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 14

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 30 NW						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	320	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 15

DATE SAMPLED: 10/15/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 30 SW						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	500	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 16

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 30 SE						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	550	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 17

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 33 MW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	340	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 18

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FOREST HOME 10 OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	190	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 19

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FOREST HOME 12 MW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 20

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JARONESKI OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	540	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 21

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JORDAN 9 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	610	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 22

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JORDAN 12 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	300	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 23

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: KEARNEY 2 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	330	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 24

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: KEARNEY 26 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	380	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 25

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: LAKES OF THE NORTH MW-4R							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	300	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 26

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MANCELONA 1 A1-32 MW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	350	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 27

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MANCELONA 1 A1-32 MW-1R							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	330	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 28

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MANCELONA 8 MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	470	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 29

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MANCELONA 8 MW-2R							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	320	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 30

DATE SAMPLED: 10/14/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MANCELONA D1-17 MW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	280	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 31

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MANCELONA D1-17 MW-1R							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	290	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 32

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: RAPID RIVER #3 OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	100	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 33

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH ARM 32 EAST						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 34

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH ARM 32 WEST						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	450	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 35

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WARNER 8 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 36

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WARNER 10 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	130	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 180303-0200
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 102119-12
GTA SAMPLE NO: 37

DATE SAMPLED: 10/17/2019
TIME SAMPLED:

DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: ZIMMERMAN OYER OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/28/2019	WATER
	CONDUCTIVITY SM2510-B	68	1.0	uS/cm@25C	LV	10/28/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 180303200	SITE NAME/ADDRESS SEMI ANNUAL	COMPANY/NAME Riverside
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 102119-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	45 th Parallel MW-4	10-15-19		WTR	CL, COND
2	Beal D2-27 aw-1				
3	Central Lake 13 MW-5				
4	Central Lake 15 aw-1				
5	Clearwater 2 aw-1				
6	Clearwater Central aw-1				
7	Custer 7 aw-1				
8	Custer 15-20 aw-1				
9	Custer 33 aw-1				
10	Echo 9 MW-1				
11	Echo 9 MW-2				
12	Echo 10 MW-2 aw-1				
13	Echo 26 aw-1				
14	Echo 30 NW				
15	Echo 30 SW				

BILL TO:

E.C.T.

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

Lisa H. Jones 10-21-19

R. C. H. 10/21/19 12:45p

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

CHAIN OF CUSTODY

PROJECT NUMBER 180303-0200	SITE NAME/ADDRESS SEMI ANNUAL	COMPANY/NAME Riverside
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 102119-17

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	Echo 30 SE	10-14-19		WTR	CL, COND
17	Echo 33 MW-4				
18	FOREST HOME ¹⁰ CW-1				
19	FOREST HOME 12 MW-1				
20	Jaroneski CW-1				
21	Jordan 9 CW-1				
22	Jordan 12 CW-1				
23	Kearney 2 MW-1				
24	Kearney 26 CW-1				
25	Lakes of the North MW-4R				
26	Mancelona 1 A1-32 MW-1				
27	Mancelona 1 A1-32 MW-1R				
28	Mancelona 8 MW-2				
29	Mancelona 8 MW-2R				
30	Mancelona DI-17 MW-1				

BILL TO:


E.C.T.

REPORT TO:

Lisa

RELEASED BY Lisa Ajlora	DATE/TIME 10-21-19	RECEIVED BY L. Ch	DATE/TIME 10/21/19 12:45p

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS



830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

FAX: 231-929-0894

www.gtanalytical.com

PROJECT NUMBER 180303-6200	SITE NAME/ADDRESS SEMI ANNUAL	COMPANY/NAME Riverside
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 102119-12

[illegible]**REPORT TO:**

ECT

Liob

DATE/TIME

RELEASED BY James H. Jones DATE/TIME 10-21-19

RECEIVED BY KCh DATE/TIME 10/21/19 12:45P

REQUESTED TAT ☒ **STANDARD** ☐ **1 BUSINESS DAY** ☐ **2 BUSINESS DAYS** ☐ **3 BUSINESS DAYS**