



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE

Name:

ClientProj: 18303-0200

GTA ProjNo: 051419-10

Site Addr: SEMI ANNUAL SITES

Sampled By: NJ/ECT

Date Rec: 5/14/2019

Time Rec: 3:54 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BAGLEY 30 OW-1	4/30/2019		WATER
2	BEAL D2-27 OW-1	4/30/2019		WATER
3	CENTRAL LAKE 13 OW-1	4/30/2019		WATER
4	CENTRAL LAKE 15 OW-1	4/30/2019		WATER
5	CLEARWATER 2 OW-1	4/30/2019		WATER
6	CLEARWATER CENTRAL OW-1	4/30/2019		WATER
7	CUSTER 7 OW-1	4/30/2019		WATER
8	CUSTER 15/20 OW-1	4/30/2019		WATER
9	CUSTER 33 MW-4R	4/30/2019		WATER
10	ECHO 9 MW-1	5/1/2019		WATER
11	ECHO 9 MW-2	5/1/2019		WATER
12	ECHO 10 OW-2	5/1/2019		WATER
13	ECHO 24/26 OW-1	5/1/2019		WATER
14	ECHO 30 NW	5/1/2019		WATER
15	ECHO 30 SW	5/1/2019		WATER
16	ECHO 30 SE	5/1/2019		WATER
17	ECHO 33 NORTH	5/1/2019		WATER
18	ECHO 33 WEST	5/1/2019		WATER
19	FOREST HOME 10 OW-1	5/1/2019		WATER
20	FOREST HOME 12 MW-1	5/1/2019		WATER
21	FRID B1-9 OW-1	5/1/2019		WATER
22	GUERIN & MATHEWS OW-1	5/7/2019		WATER
23	JORDAN 9 OW-1	5/7/2019		WATER
24	JORDAN 12 OW-1	5/7/2019		WATER
25	JARONESKI D1-12 OW-1	5/7/2019		WATER
26	KEARNEY 2 MW-1	5/7/2019		WATER
27	KEARNEY 26 OW-1	5/7/2019		WATER
28	MOSSBACK MW-4	5/7/2019		WATER
29	OLD VANDY EAST (8) OW-1	5/7/2019		WATER
30	OLD VANDY NORTH OW-1	5/7/2019		WATER
31	OLD VANDY SOUTH OW-1	5/7/2019		WATER
32	OTSEGO LAKE MW-4	5/8/2019		WATER
33	RAPID RIVER #3 OW-1	5/8/2019		WATER
34	SOUTH ARM EAST	5/8/2019		WATER
35	SOUTH ARM WEST	5/8/2019		WATER
36	SOUTH ARM BLDG	5/8/2019		WATER
37	WARNER 8 OW-1	5/8/2019		WATER
38	WARNER 10 OW-1	5/8/2019		WATER
39	ZIMMERMAN OYER OW-1	5/8/2019		WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 1

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BAGLEY 30 OW-1						
	CHLORIDE EPA 300.0	22	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	440	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 2

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BEAL D2-27 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	64	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 3

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CENTRAL LAKE 13 OW-1						
	CHLORIDE EPA 300.0	17	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	390	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 4

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CENTRAL LAKE 15 OW-1						
	CHLORIDE EPA 300.0	32	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	670	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 5

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CLEARWATER 2 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	190	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 6

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CLEARWATER CENTRAL OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	21	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 7

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 7 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	200	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 8

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 15/20 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	110	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 9

DATE SAMPLED: 4/30/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CUSTER 33 MW-4R						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	440	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 10

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 9 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	380	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 11

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 9 MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	140	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 12

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 10 OW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/16/2019	WATER
	CONDUCTIVITY SM2510-B	200	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 13

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 24/26 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	64	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 14

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: ECHO 30 NW
CHLORIDE EPA 300.0
CONDUCTIVITY SM2510-B

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	LV	5/17/2019	WATER
440	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 15

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: ECHO 30 SW
CHLORIDE EPA 300.0
CONDUCTIVITY SM2510-B

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	LV	5/17/2019	WATER
620	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 16

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS**No: Analysis**

SAMPLE ID: ECHO 30 SE
CHLORIDE EPA 300.0
CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

LV

5/17/2019

WATER

570

1.0

uS/cm@25C

LV

5/16/2019

WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 17

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 33 NORTH						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	340	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 18

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: ECHO 33 WEST						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	380	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 19

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FOREST HOME 10 OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	210	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 20

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FOREST HOME 12 MW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	240	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 21

DATE SAMPLED: 5/1/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: FRID B1-9 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	81	1.0	uS/cm@25C	LV	5/16/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 22

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GUERIN & MATHEWS OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	380	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 23

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JORDAN 9 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	560	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 24

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JORDAN 12 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	280	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 25

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JARONESKI D1-12 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	560	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 26

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: KEARNEY 2 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	410	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 27

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: KEARNEY 26 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	27	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 28

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MOSSBACK MW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	150	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 29

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OLD VANDY EAST (8) OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	420	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 30

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OLD VANDY NORTH OW-1							
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	520	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 31

DATE SAMPLED: 5/7/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OLD VANDY SOUTH OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	260	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 32

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OTSEGO LAKE MW-4						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	350	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 33

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: RAPID RIVER #3 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	130	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 34

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH ARM EAST						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	420	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 35

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH ARM WEST						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	140	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 36

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH ARM BLDG						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	240	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 37

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WARNER 8 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	150	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 38

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WARNER 10 OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	100	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 18303-0200
LOCATION: SEMI ANNUAL SITES

GTA PROJECT NO: 051419-10
GTA SAMPLE NO: 39

DATE SAMPLED: 5/8/2019
TIME SAMPLED:

DATE RECEIVED: 5/14/2019
TIME RECEIVED: 3:54 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE RESULTS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: ZIMMERMAN OYER OW-1							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	5/17/2019	WATER
	CONDUCTIVITY SM2510-B	72	1.0	uS/cm@25C	LV	5/17/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

CHAIN OF CUSTODY

PROJECT NUMBER 180303-0200	SITE NAME/ADDRESS SEMI ANNUAL SITES	COMPANY/NAME RIVERSIDE
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 051419-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	Bagley 30 OW-1	4-30-19		WTR	CL, COND
2	Beal D2-27 OW-1				
3	Central Lake 13 MW-5				
4	Central Lake 15 OW-1				
5	Clearwater 2 OW-1				
6	Clearwater Central OW-1				
7	Custer 7 OW-1				
8	Custer 15/20 OW-1				
9	Custer 33 MW-4R				
10	Echo 9 MW-1	5-1-19			
11	Echo 9 MW-2				
12	Echo 10 OW-1				
13	Echo 24/26 OW-1				
14	Echo 30 NW				
15	Echo 30 SW				

BILL TO:

E.C.T.

REPORT TO:

[Signature]

RELEASED BY <i>[Signature]</i>	DATE/TIME 5-14-19	RECEIVED BY <i>[Signature]</i>	DATE/TIME 5/14/19 3:54
-----------------------------------	-----------------------------	-----------------------------------	----------------------------------

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER 180303-0200	SITE NAME/ADDRESS SEMIANNUAL SITES	COMPANY/NAME RIVERSIDE
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 051419-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	Echo 30 SE	5-1-19		WTR	CL, COND
17	Echo 33 NORTH				
18	Echo 30 33 West				
19	FOREST HOME 10 OW-1				
20	FOREST HOME 12 MW-1				
21	FRID BL-9 OW-1	↓			
22	GURIN & Mathews OW-1	5-7-19			
23	JORDAN 9 OW-1				
24	JORDAN 12 OW-1				
25	Jaroneski DI-12 OW-1				
26	Kearney 2 MW-1				
27	Kearney 26 OW-1				
28	Mossback MW-4				
29	Old Vandy East(8) OW-1				
30	Old Vandy North OW-1	↓		↓	↓

BILL TO:

E.C.T.

REPORT TO:

[Signature]

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 5-14-19

[Signature] 5/14/19 3:54

REQUESTED TAT

☒ **STANDARD**

☐ **1 BUSINESS DAY**

☐ **2 BUSINESS DAYS**

☐ **3 BUSINESS DAYS**

CHAIN OF CUSTODY

PROJECT NUMBER 180303-0200	SITE NAME/ADDRESS SEMIANNUAL SITES	COMPANY/NAME Riverside
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 051419-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
31	Old Vandy South Ow-1	5-7-19		WTR	CL & COND
32	Otsego Lake MW-4	5-8-19			
33	Rapid River #3 Ow-1				
34	South Arm East				
35	South Arm West				
36	South Arm Bldg				
37	Warner 8 Ow-1				
38	Warner 10 Ow-1				
39	Zimmerman Oyer Ow-1				

BILL TO:

E.C.T.

REPORT TO:

[Signature]

RELEASED BY <i>[Signature]</i>	DATE/TIME 5-14-19	RECEIVED BY <i>[Signature]</i>	DATE/TIME 5/14/19 3:54

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS