

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP
Name:
ClientProj: 190183-0400
GTA ProjNo: 091625-8

Site Addr: BROWN A4-2

Sampled By: LEL/ECT
Date Rec: 9/16/2025
Time Rec: 1:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	9/15/2025		WATER
2	MW-4S	9/15/2025		WATER
3	MW-4D	9/15/2025		WATER
4	MW-5/PW-3	9/15/2025		WATER
5	MW-6	9/15/2025		WATER
6	MW-7	9/15/2025		WATER
7	MW-8	9/15/2025		WATER
8	MW-9	9/15/2025		WATER
9	MW-10	9/15/2025		WATER
10	MW-11	9/15/2025		WATER
11	MW-12	9/15/2025		WATER
12	MW-13	9/15/2025		WATER
13	MW-14S	9/15/2025		WATER
14	MW-15S	9/15/2025		WATER
15	MW-16	9/15/2025		WATER
16	MW-15D	9/15/2025		WATER
17	MW-14D	9/15/2025		WATER
18	MW-17	9/15/2025		WATER
19	MW-18	9/15/2025		WATER
20	MW-19	9/15/2025		WATER
21	MW-20	9/15/2025		WATER
22	MW-21	9/15/2025		WATER
23	MW-22	9/16/2025		WATER
24	MW-23	9/16/2025		WATER
25	MW-24	9/16/2025		WATER
26	MW-25	9/15/2025		WATER
27	MW-27	9/15/2025		WATER
28	PW-1	9/15/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 1

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 2

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4S
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 3

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4D
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 4

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-5/PW-3
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
80	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 5

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6							
CHLORIDE EPA 300.0		160	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 6

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7							
CHLORIDE EPA 300.0		150	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 7

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-8
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
36	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 8

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 9

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-10
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 10

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 11

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-12
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
250	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 12

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-13
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
49	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 13

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-14S
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 14

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-15S
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 15

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-16							
CHLORIDE EPA 300.0		69	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 16

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-15D
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 17

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-14D		ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 18

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-17							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 19

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-18
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
41	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 20

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-19
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 21

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-20
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
14	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 22

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-21 CHLORIDE EPA 300.0	36	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 23

DATE SAMPLED: 9/16/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-22
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
52	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 24

DATE SAMPLED: 9/16/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-23 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 25

DATE SAMPLED: 9/16/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-24
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 26

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-25		21	10	mg/L (PPM)	KC/TR	9/23/2025	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 27

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-27
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
110	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 190183-0400
LOCATION: BROWN A4-2

GTA PROJECT NO: 091625-8
GTA SAMPLE NO: 28

DATE SAMPLED: 9/15/2025
TIME SAMPLED:
DATE RECEIVED: 9/16/2025
TIME RECEIVED: 1:45 PM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: PW-1 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/23/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

10/2

CHAIN OF CUSTODY

PROJECT NUMBER 190183-0400	SITE NAME/ADDRESS Brain AY-2	COMPANY/NAME VCP
SAMPLED BY LEL	COMPANY ECT	GTA PROJECT # 091625-8

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-3	9-15-25		W	CL-
2	MW-4S				
3	MW-4D				
4	MW-5 / PW-3				
5	MW-6				
6	MW-7				
7	MW-8				
8	MW-9				
9	MW-10				
10	MW-11				
11	MW-12				
12	MW-13				
13	MW-14S				
14	MW-15S				
15	MW-16				

BILL TO: VCP	TempRec: ☐ Y ☐ N	On Ice? ☐ ☐	REPORT TO: Lisa
------------------------	--	---	---------------------------

RELEASED BY LEL	DATE/TIME 9/16/25 1345	RECEIVED BY [Signature]	DATE/TIME 9/16/25 1345
---------------------------	----------------------------------	-----------------------------------	----------------------------------

20/2

CHAIN OF CUSTODY

PROJECT NUMBER 190183-0400	SITE NAME/ADDRESS Brown AY-2	COMPANY/NAME VCP
SAMPLED BY LCL	COMPANY ELT	GTA PROJECT # 091625-8

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-15D	9/15/25		W	Cl-
17	MW-14D				
18	MW-17				
19	MW-18				
20	MW-19				
21	MW-20				
22	MW-21				
23	MW-22	9/16/25			
24	MW-23				
25	MW-24				
26	MW-25	9/15/25			
27	MW-26 MW-27				
28	MW-28 PW-1				
29	PW-3				

BILL TO: VCP	TempRec: ☐ Y ☐ N	On Ice? ☐ ☐	REPORT TO: Lisa
RELEASED BY LCL	DATE/TIME 9/16/25 1345	RECEIVED BY [Signature]	DATE/TIME 9/16/25 1345
REQUESTED TAT ☐ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			