



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP
Name:
ClientProj: 240055-0600
GTA ProjNo: 041124-6

Site Addr: MID KITCHEN FARM

Sampled By: LMH/ECT

Date Rec: 4/11/2024

Time Rec: 8:45 AM

Sample No. Sample ID
1 OW-1

Date Sampled
4/10/2024

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 240055-0600
LOCATION: MID KITCHEN FARM

GTA PROJECT NO: 041124-6
GTA SAMPLE NO: 1

DATE SAMPLED: 4/10/2024
TIME SAMPLED:

DATE RECEIVED: 4/11/2024
TIME RECEIVED: 8:45 AM

MI
SAMPLED BY: LMH/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: OW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

KC/TR

4/17/2024

WATER

480

1.0

uS/cm@25C

TR

4/15/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

