

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP
Name:
ClientProj:

Site Addr: SEMI ANNUAL

GTA ProjNo: 092022-2

Sampled By: LMH-J/ECT
Date Rec: 9/20/2022
Time Rec: 9:20 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BRILEY 8 MW-1	9/16/2022		WATER
2	CANADA CREEK MW-1 TB	9/16/2022		WATER
3	CANADA CREEK MW-2 BLDG	9/16/2022		WATER
4	N. CHARLTON 19 MW-1	9/16/2022		WATER
5	N. CHARLTON 22 MW-1 TB	9/16/2022		WATER
6	N. CHARLTON 22 MW-2 BLDG	9/16/2022		WATER
7	N. CHARLTON 24 MW-1 BLDG	9/16/2022		WATER
8	N. CHARLTON 24 MW-5 TB	9/16/2022		WATER
9	N. CHARLTON 31 MW-1	9/16/2022		WATER
10	N. CHARLTON 36 MW-1 TB	9/16/2022		WATER
11	N. CHARLTON 36 MW-5 BLDG	9/16/2022		WATER
12	VIENNA 6-7 MW-1 BLDG	9/16/2022		WATER
13	VIENNA 6-7 MW-2 TB	9/16/2022		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 1

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: BRILEY 8 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	390	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 2

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CANADA CREEK MW-1 TB							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	400	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 3

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: CANADA CREEEK MW-2 BLDG							
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	470	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 4

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: N. CHARLTON 19 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	200	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 5

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 22 MW-1 TB							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	990	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 6

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 22 MW-2 BLDG							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	550	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 7

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 24 MW-1 BLDG							
	CHLORIDE EPA 300.0	16	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	840	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 8

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 24 MW-5 TB							
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	780	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 9

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: N. CHARLTON 31 MW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	260	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 10

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 36 MW-1 TB							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	460	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 11

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: N. CHARLTON 36 MW-5 BLDG							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	180	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 12

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: VIENNA 6-7 MW-1 BLDG							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	380	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 092022-2
GTA SAMPLE NO: 13

DATE SAMPLED: 9/16/2022
TIME SAMPLED:

DATE RECEIVED: 9/20/2022
TIME RECEIVED: 9:20 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VIENNA 6-7 MW-2 TB						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/26/2022	WATER
	CONDUCTIVITY SM2510-B	440	1.0	uS/cm@25C	TR	9/24/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS <i>Semi annual</i>	COMPANY/NAME <i>VCP</i>
SAMPLED BY <i>LMH-J</i>	COMPANY <i>ECT</i>	GTA PROJECT # <i>092022-2</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	<i>Briley 8 MW-1</i>	<i>9-16-22</i>		<i>WTR</i>	<i>CL, COND</i>
2	<i>Canada Creek MW-1/TB</i>				
3	<i>Canada Creek MW-2/Bldg</i>				
4	<i>N.Charlton 19 MW-1</i>				
5	<i>N.Charlton 22 MW-1/TB</i>				
6	<i>N.Charlton 22 MW-5/Bldg</i>				
7	<i>N.Charlton 24 MW-1/Bldg</i>				
8	<i>N.Charlton 24 MW-5/TB</i>				
9	<i>N.Charlton 31 MW-1</i>				
10	<i>N.Charlton 36 MW-1/TB</i>				
11	<i>N.Charlton 36 MW-5/Bldg</i>				
12	<i>Vienna 6-7 MW-1 Bldg</i>				
13	<i>Vienna 6-7 MW-2 TB</i>				

BILL TO:

VCP

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Lisa H. Hume 9-20-22

RECEIVED BY

DATE/TIME

[Signature] 9-20-22 9:20A

REQUESTED TAT



STANDARD

☐ **1 BUSINESS DAY**

☐ **2 BUSINESS DAYS**

☐ **3 BUSINESS DAYS**