



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: HOY PRODUCTION, LLC
Name:
ClientProj: 13.054
GTA ProjNo: 120623-8

Site Addr: TRIDENT 22
Sampled By: KWB/HURON
Date Rec: 12/6/2023
Time Rec: 11:20 AM

| Sample No. | Sample ID | Date Sampled | Time Sampled | Sample Matrix |
|------------|-----------|--------------|--------------|---------------|
| 1 | OW-1 | 12/4/2023 | | WATER |
| 2 | OW-3 | 12/4/2023 | | WATER |

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: HOY PRODUCTION, LLC
 PROJECT NO: 13.054
 LOCATION: TRIDENT 22

GTA PROJECT NO: 120623-8
 GTA SAMPLE NO: 1
 DATE SAMPLED: 12/4/2023
 TIME SAMPLED:
 DATE RECEIVED: 12/6/2023
 TIME RECEIVED: 11:20 AM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date Completed</u> | <u>Sample Matrix</u> |
|------------|-----------------------|----------------------|------------|--------------|----------------|-----------------------|----------------------|
| | SAMPLE ID: OW-1 | | | | | | |
| | CHLORIDE EPA 300.0 | 29 | 10 | mg/L (PPM) | KC/TR | 12/13/2023 | WATER |
| | CONDUCTIVITY SM2510-B | 520 | 1.0 | uS/cm@25C | TR | 12/11/2023 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

COMPANY: HOY PRODUCTION, LLC
 PROJECT NO: 13.054
 LOCATION: TRIDENT 22

GTA PROJECT NO: 120623-8
 GTA SAMPLE NO: 2
 DATE SAMPLED: 12/4/2023
 TIME SAMPLED:
 DATE RECEIVED: 12/6/2023
 TIME RECEIVED: 11:20 AM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

| <u>No:</u> | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date Completed</u> | <u>Sample Matrix</u> |
|------------|-----------------------|----------------------|------------|--------------|----------------|-----------------------|----------------------|
| | SAMPLE ID: OW-3 | | | | | | |
| | CHLORIDE EPA 300.0 | 13 | 10 | mg/L (PPM) | KC/TR | 12/13/2023 | WATER |
| | CONDUCTIVITY SM2510-B | 560 | 1.0 | uS/cm@25C | TR | 12/11/2023 | WATER |

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

