



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: NEXT DOOR OPERATIONS
Name:
ClientProj: 3705
GTA ProjNo: 121119-6

Site Addr: NDO #5103
10201 N. US-12 EAST
MICHIGAN CITY
Sampled By: RG/RA - COMPLIANCE INC.
Date Rec: 12/11/2019
Time Rec: 1:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-4S	12/9/2019	11:00 AM	WATER
2	MW-5S	12/9/2019	10:20 AM	WATER
3	MW-7	12/9/2019	9:50 AM	WATER
4	MW-9	12/9/2019	10:10 AM	WATER
5	MW-10	12/9/2019	10:28 AM	WATER
6	MW-11	12/9/2019	10:40 AM	WATER
7	MW-12	12/9/2019	10:50 AM	WATER
8	MW-26	12/9/2019	11:10 AM	WATER
9	MW-27	12/9/2019	11:05 AM	WATER
10	MW-30	12/9/2019	10:45 AM	WATER
11	MW-31	12/9/2019	10:31 AM	WATER
12	MW-17S	12/9/2019	12:40 PM	WATER
13	MW-17D	12/9/2019	12:48 PM	WATER
14	MW-18S	12/9/2019	12:12 PM	WATER
15	MW-18D	12/9/2019	12:22 PM	WATER
16	MW-19S	12/9/2019	1:20 PM	WATER
17	MW-19D	12/9/2019	2:10 PM	WATER
18	MW-20S	12/9/2019	1:40 PM	WATER
19	MW-20D	12/9/2019	2:15 PM	WATER
20	MW-21S	12/9/2019	11:50 AM	WATER
21	MW-21D	12/9/2019	11:55 AM	WATER
22	MW-23S	12/9/2019	2:45 PM	WATER
23	MW-23D	12/11/2019	3:00 PM	WATER
24	MW-24S	12/11/2019	2:40 PM	WATER
25	MW-24D	12/11/2019	2:55 PM	WATER
26	MW-28	12/11/2019	2:02 PM	WATER
27	DAF-8	12/11/2019	2:20 PM	WATER
28	KELLER-PRE	12/11/2019	11:15 AM	WATER
29	KELLER-POST	12/11/2019	11:15 AM	WATER
30	NAVICKAS	12/11/2019	11:30 AM	WATER
31	MARCINIAK	12/9/2019	11:40 AM	WATER
32	PLOOSTER	12/9/2019	11:50 AM	WATER
33	KENDRICK	12/9/2019	11:35 AM	WATER
34	CAINKER-PRE	12/9/2019	1:00 PM	WATER
35	CAINKER-POST	12/9/2019	1:00 PM	WATER
36	HIRONS-PRE	12/9/2019	12:50 PM	WATER
37	HIRONS-POST	12/9/2019	12:50 PM	WATER
38	CASS-PRE	12/9/2019	12:40 PM	WATER
39	CASS-POST	12/9/2019	12:40 PM	WATER
40	OLSEN	12/9/2019	1:20 PM	WATER
41	KNIOLA	12/9/2019	12:30 PM	WATER
42	KUHARIC	12/9/2019	12:20 PM	WATER
43	BARTH	12/9/2019	12:10 PM	WATER
44	CUDDEBACK	12/9/2019	12:00 PM	WATER
45	CASEY	12/9/2019	1:15 PM	WATER
46	MILLER	12/9/2019	1:10 PM	WATER
47	SMITH-PRE	12/9/2019	4:00 PM	WATER
48	SMITH-POST	12/9/2019	4:05 PM	WATER
49	MW-4 DUP	12/9/2019	3:25 PM	WATER
50	MW-30 DUP	12/9/2019	3:20 PM	WATER
51	TRIP BLANK	12/9/2019		WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 1

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:00 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-4S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	5.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	120	5.0
s-BUTYLBENZENE	8.0	5.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	150	5.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	26	5.0
ISOPROPYLTOLUENE	14	5.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	1,300	50
NAPHTHALENE	1,500	50
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	51	5.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	95	5.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	4,400	50
1,3,5-TRIMETHYLBENZENE	1,400	50
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	18,000	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 2

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:20 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-5S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	30	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	3.2	1.0
s-BUTYLBENZENE	2.1	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	630	10
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	30	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	18	1.0
NAPHTHALENE	160	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	59	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	1.2	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	210	10
1,3,5-TRIMETHYLBENZENE	15	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	51	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 3

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 9:50 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 4

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:10 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-9

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 5

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:28 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-10

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 6

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:40 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-11

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	1.4	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	18	1.0
s-BUTYLBENZENE	4.5	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	88	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	11	1.0
ISOPROPYLTOLUENE	2.8	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	45	1.0
NAPHTHALENE	120	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	40	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	3.6	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	810	1.0
1,3,5-TRIMETHYLBENZENE	160	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	200	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 7

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:50 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-12

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 8

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:10 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-26

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	1.1	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	32	1.0
s-BUTYLBENZENE	6.1	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	100	10
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	8.2	1.0
ISOPROPYLTOLUENE	6.9	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	660	10
NAPHTHALENE	500	10
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	20	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	13	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	1,400	10
1,3,5-TRIMETHYLBENZENE	250	10
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,100	21

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 9

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:05 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-27

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	52	1.0
s-BUTYLBENZENE	7.6	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	58	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	20	1.0
ISOPROPYLTOLUENE	7.2	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	800	25
NAPHTHALENE	710	25
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	51	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	2,000	25
1,3,5-TRIMETHYLBENZENE	520	25
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	3,000	75

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 10

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:45 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-30

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 11

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 10:31 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-31

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	2.4	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	6.1	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	22	1.0
NAPHTHALENE	27	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	16	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	67	1.0
1,3,5-TRIMETHYLBENZENE	23	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	460	150.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 12

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:40 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-17S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 13

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:48 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-17D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	9.6	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 14

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:12 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-18S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 15

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:22 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-18D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 16

PROJECT NO: 3705

LOCATION: NDO #5103

10201 N. US-12 EAST

MICHIGAN CITY

SAMPLED BY: RG/RA - COMPLIANCE INC.

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:20 PM

DATE RECEIVED: 12/11/2019

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-19S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 17

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 2:10 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-19D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	58	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 18

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:40 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-20S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 19

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 2:15 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-20D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	30	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 20

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:50 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-21S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 21

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:55 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-21D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 22

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 2:45 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-23S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 23

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 3:00 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-23D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 24

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 2:40 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-24S

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 25

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 2:55 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-24D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 26

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 2:02 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-28

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 27

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 2:20 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: DAF-8

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 28

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 11:15 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: KELLER-PRE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 29

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 11:15 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: KELLER-POST

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 30

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/11/2019

TIME SAMPLED: 11:30 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NAVICKAS

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 31

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:40 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MARCINIAK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 32

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:50 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: PLOOSTER

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 33

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 11:35 AM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: KENDRICK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 34

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:00 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CANKER-PRE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 35

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:00 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CAINKER-POST

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 36

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:50 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: HIRONS-PRE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	4.5	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

MICHIGAN CITY

SAMPLED BY: RG/RA - COMPLIANCE INC.

SAMPLE MATRIX: WATER

SAMPLE ID: HIRONS-POST

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 37

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 12/11/2019

TIME RECEIVED: 1:00 PM

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 38

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:40 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CASS-PRE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 39

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:40 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CASS-POST

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 40

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:20 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: OLSEN

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 41

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:30 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: KNIOLA

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 42

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:20 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: KUHARIC

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 43

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:10 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: BARTH

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 44

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 12:00 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CUDEBACK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 45

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:15 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: CASEY

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 46

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 1:10 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MILLER

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 47

PROJECT NO: 3705

LOCATION: NDO #5103

10201 N. US-12 EAST

MICHIGAN CITY

SAMPLED BY: RG/RA - COMPLIANCE INC.

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 4:00 PM

DATE RECEIVED: 12/11/2019

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: SMITH-PRE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 48

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 4:05 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: SMITH-POST

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 49

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 3:25 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-4 DUP

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	110	5.0
s-BUTYLBENZENE	7.3	5.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	150	5.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	22	5.0
ISOPROPYLTOLUENE	13	5.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	1,700	50
NAPHTHALENE	1,800	50
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	41	5.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	87	5.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	4,100	50
1,3,5-TRIMETHYLBENZENE	1,400	50
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	17,000	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 50

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED: 3:20 PM

MICHIGAN CITY

DATE RECEIVED: 12/11/2019

SAMPLED BY: RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-30 DUP

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/17/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 51

PROJECT NO: 3705

LOCATION: NDO #5103
10201 N. US-12 EAST

DATE SAMPLED: 12/9/2019

TIME SAMPLED:

DATE RECEIVED: 12/11/2019

SAMPLED BY: MICHIGAN CITY
RG/RA - COMPLIANCE INC.

TIME RECEIVED: 1:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: TRIP BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 12/16/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 1

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:00 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-4S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		720	50	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 2

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:20 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-5S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		27	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 3

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 9:50 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-7							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 4

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:10 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-9							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 5

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:28 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-10							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 6

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:40 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-11							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		130	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 7

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:50 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-12							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 8

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:10 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-26							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		380	10	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 9

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:05 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-27							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		510	25	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 10

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:45 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-30							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 11

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 10:31 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-31							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		16	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 12

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:40 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-17S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 13

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:48 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-17D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 14

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:12 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-18S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 15

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:22 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-18D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 16

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:20 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-19S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 17

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:10 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-19D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 18

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:40 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-20S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 19

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:15 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-20D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 20

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:50 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-21S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 21

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:55 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-21D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 22

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:45 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-23S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 23

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 3:00 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-23D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 24

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:40 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-24S							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 25

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:55 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-24D							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 26

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:02 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-28							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 27

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 2:20 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	DAF-8							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 28

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:15 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	KELLER-PRE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 29

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:15 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	KELLER-POST							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 30

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/11/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:30 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	NAVICKAS							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 31

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:40 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MARCINIAK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 32

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:50 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	PLOOSTER							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 33

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 11:35 AM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	KENDRICK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 34

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:00 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	CAINKER-PRE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 35

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:00 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID: CAINKER-POST								
SAMPLE MATRIX: WATER								
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 36

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:50 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	HIRONS-PRE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 37

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:50 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	HIRONS-POST							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 38

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:40 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	CASS-PRE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 39

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:40 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	CASS-POST							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 40

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:20 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	OLSEN							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 41

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:30 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	KNIOLA							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 42

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:20 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	KUHARIC							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 43

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:10 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	BARTH							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 44

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 12:00 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	CUDDEBACK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 45

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:15 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	CASEY							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 46

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 1:10 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MILLER							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 47

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 4:00 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SMITH-PRE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 48

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 4:05 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SMITH-POST							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 49

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 3:25 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-4 DUP							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		760	50	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 50

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED: 3:20 PM

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-30 DUP							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/17/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: NEXT DOOR OPERATIONS

GTA PROJECT NO: 121119-6

GTA SAMPLE NO: 51

NAME:

PROJECT NO: 3705

DATE SAMPLED: 12/9/2019

LOCATION: NDO #5103

TIME SAMPLED:

10201 N. US-12 EAST

DATE RECEIVED: 12/11/2019

MICHIGAN CITY

TIME RECEIVED: 1:00 PM

IN

SAMPLED BY: RG/RA - COMPLIANCE INC.

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	TRIP BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		12/16/2019	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

Page 1 of 4

CHAIN OF CUSTODY

PROJECT NUMBER 3705	SITE NAME/ADDRESS NDO# 5103 10201 N. US-12 EAST, MICHIGAN CITY, IN	COMPANY/NAME
SAMPLED BY RANDY GLASS/RAY ANDRESL	COMPANY COMPLIANCE, INC	GTA PROJECT # 12119-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-4s	12/9/19	1100	WATER	VOCs, naphthalene, methyl naphthalene 2-methyl naphthalene
2	MW-5s		1020		
3	MW-7		0950		
4	MW-9		1010		
5	MW-10		1028		
6	MW-11		1040		
7	MW-12		1050		
8	MW-26		1110		
9	MW-27		1105		
10	MW-30		1045		
11	MW-31		1030		
12	MW-17s		1240		
13	MW-17d		1248		
14	MW-18s		1212		
15	MW-18d		1222		

BILL TO:

REPORT TO:

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>Randy Glass</i>	12/9/19 1700	<i>Rold Storage</i>	12/9/19 1700
<i>R. Andresl</i>	12/11/19 1300	<i>[Signature]</i>	12/11/19 1300 rec 4.0

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

Page 2 of 4

CHAIN OF CUSTODY

PROJECT NUMBER 3705	SITE NAME/ADDRESS NDO # 5103 10201 N. US-12 EAST, MICHIGAN CITY, IN	COMPANY/NAME
SAMPLED BY RANDY GLASS RAY ANDRASI	COMPANY COMPLIANCE, INC.	GTA PROJECT # 12119-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-19s	12/9/19	1320	WATER	Volatiles, Naphthalene, 1-Methylnaphthalene, 2-methylnaphthalene
17	MW-19d		1410		
18	MW-20s		1340		
19	MW-20d		1415		
20	MW-21s		1150		
21	MW-21d		1155		
22	MW-23s		1445		
23	MW-23d		1500		
24	MW-24s		1440		
25	MW-24d		1455		
26	MW-28		1402		
27	DAF-8		1420		
28	Keller - Pre		1115		
29	Keller - Post		1115		
30	Navipokas		1130		

BILL TO:

REPORT TO:

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>Randy Glass</i>	12/9/19 1700	<i>Cold Storage</i>	12/9/19 1700
<i>R. John</i>	12/11/19 1300	<i>[Signature]</i>	12/11/19 1300
			rec 4/10/20

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER 3705	SITE NAME/ADDRESS ND0 # 5103 10201 N. US-12 EAST, MICHIGAN CITY, IN	COMPANY/NAME
SAMPLED BY RANDY GLASS RAY ANDRASI	COMPANY COMPLIANCE, INC	GTA PROJECT # 12119-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
31	Marciniack	12/9/19	1140	WATER	VOCS, Naphthalene, 1-Methylnaphthalene, 2-methylnaphthalene.
32	Plaster		1150		
33	Kendrick		1135		
34	Cainkar - Pre		1300		
35	Cainkar - Post		1300		
36	Hirons - Pre		1250		
37	Hirons - Post		1250		
38	Cass - Pre		1240		
39	Cass - Post		1240		
40	Olsen		1320		
41	Knjola		1230		
42	Kuharic		1220		
43	Barth		1210		
44	Cuddeback		1200		
45	Casey	✓	1315	✓	✓

BILL TO:

REPORT TO:

RELEASED BY Randy Glass R And	DATE/TIME 12/9/19 1700 12/11/19 1300	RECEIVED BY Gold Storage JS	DATE/TIME 12/9/19 1700 12/11/19 1300 rec 4.0°C
---	--	---	--

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER 3705	SITE NAME/ADDRESS NDO # 5103 10201 N. US-12 EAST, MICHIGAN CITY, IN	COMPANY/NAME
SAMPLED BY RANDY GLASS RAY ANDRZEJ	COMPANY COMPLIANCE, INC	GTA PROJECT # 12119-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
46	MILLER	12/9/19	1310	WATER	VOCs, Naphthalene, 1-methyl naphthalene 2-methyl naphthalene
47	Smith - Pre		1600	+	
48	Smith - Post		1605	+500	
49	MW-4 DUP		1525		
50	MW-30 DUP		1520		
51	TRIP BLANK				

BILL TO:

REPORT TO:

RELEASED BY Randy Glass R. Andzej	DATE/TIME 12/9/19 1700 12/11/19 1300	RECEIVED BY Cold Storage [Signature]	DATE/TIME 12/9/19 1700 12/11/19 1300 rec 4/10°C
---	--	--	---

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS