

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: GPM INVESTMENTS, LLC
Name:
ClientProj: 63767
GTA ProjNo: 030922-1

Site Addr: NDO #5104
1 N. HEATON ST.
KNOX
Sampled By: RANDY GLASS/MCE
Date Rec: 3/9/2022
Time Rec: 10:35 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1R	3/7/2022	12:30 PM	WATER
2	MW-2R	3/7/2022	12:20 PM	WATER
3	MW-21R	3/7/2022	12:15 PM	WATER
4	DUP	3/7/2022	12:30 PM	WATER
5	TRIP BLANK			WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 1

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED: 3/7/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-1R

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 3/9/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	9.3	1.0
s-BUTYLBENZENE	2.7	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	690	20
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	24	1.0
ISOPROPYLTOLUENE	3.2	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	27	1.0
NAPHTHALENE	120	20
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	54	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	8.3	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	850	20
1,3,5-TRIMETHYLBENZENE	120	20
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,200	41

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 2

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED: 3/7/2022

TIME SAMPLED: 12:20 PM

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-2R

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 3/9/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	14	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	2.6	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	24	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	26	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	10	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	22	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	19	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	7.9	3.0



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 3

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED: 3/7/2022

TIME SAMPLED: 12:15 PM

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-21R

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 3/9/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 4

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED: 3/7/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

SAMPLE MATRIX: WATER

SAMPLE ID: DUP

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 3/9/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	9.7	1.0
s-BUTYLBENZENE	2.7	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	770	20
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	25	1.0
ISOPROPYLTOLUENE	3.1	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	28	1.0
NAPHTHALENE	210	20
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	56	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	8.4	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	950	20
1,3,5-TRIMETHYLBENZENE	130	20
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,300	41

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 5

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED:

TIME SAMPLED:

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

SAMPLE MATRIX: WATER

SAMPLE ID: TRIP BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 3/9/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 1

NAME:

PROJECT NO: 63767

DATE SAMPLED: 3/7/2022

LOCATION: NDO #5104

TIME SAMPLED: 12:30 PM

1 N. HEATON ST.

DATE RECEIVED: 3/9/2022

KNOX

TIME RECEIVED: 10:35 AM

IN

SAMPLED BY: RANDY GLASS/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-1R							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		36	1.0	ug/L (PPB)	MR		3/9/2022	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 2

NAME:

PROJECT NO: 63767

DATE SAMPLED: 3/7/2022

LOCATION: NDO #5104

TIME SAMPLED: 12:20 PM

1 N. HEATON ST.

DATE RECEIVED: 3/9/2022

KNOX

TIME RECEIVED: 10:35 AM

IN

SAMPLED BY: RANDY GLASS/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-2R							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/9/2022	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 3

NAME:

PROJECT NO: 63767

DATE SAMPLED: 3/7/2022

LOCATION: NDO #5104

TIME SAMPLED: 12:15 PM

1 N. HEATON ST.

DATE RECEIVED: 3/9/2022

KNOX

TIME RECEIVED: 10:35 AM

IN

SAMPLED BY: RANDY GLASS/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-21R							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/9/2022	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 4

NAME:

PROJECT NO: 63767

DATE SAMPLED: 3/7/2022

LOCATION: NDO #5104

TIME SAMPLED: 12:30 PM

1 N. HEATON ST.

DATE RECEIVED: 3/9/2022

KNOX

TIME RECEIVED: 10:35 AM

IN

SAMPLED BY: RANDY GLASS/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	DUP							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		36	1.0	ug/L (PPB)	MR		3/9/2022	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GPM INVESTMENTS, LLC

GTA PROJECT NO: 030922-1

GTA SAMPLE NO: 5

NAME:

PROJECT NO: 63767

LOCATION: NDO #5104

1 N. HEATON ST.

KNOX

IN

SAMPLED BY: RANDY GLASS/MCE

DATE SAMPLED:

TIME SAMPLED:

DATE RECEIVED: 3/9/2022

TIME RECEIVED: 10:35 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	TRIP BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/9/2022	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

