



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP
Name:
ClientProj:

Site Addr: BAGLEY 23

GTA ProjNo: 103122-4

Sampled By: LMH-J/ECT

Date Rec: 10/31/2022

Time Rec: 9:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	10/29/2022		WATER
2	OW-2	10/29/2022		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: BAGLEY 23
MI
SAMPLE MATRIX: WATER
SAMPLE ID: OW-1

GTA PROJECT NO: 103122-4
GTA SAMPLE NO: 1
DATE SAMPLED: 10/29/2022
TIME SAMPLED:
DATE RECEIVED: 10/31/2022
TIME RECEIVED: 9:10 PM
SAMPLED BY: LMH-J/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		11/2/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
 PROJECT NO:
 LOCATION: BAGLEY 23
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: OW-2

GTA PROJECT NO: 103122-4
 GTA SAMPLE NO: 2
 DATE SAMPLED: 10/29/2022
 TIME SAMPLED:
 DATE RECEIVED: 10/31/2022
 TIME RECEIVED: 9:10 PM
 SAMPLED BY: LMH-J/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		11/2/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: BAGLEY 23

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 103122-4
GTA SAMPLE NO: 1
DATE SAMPLED: 10/29/2022
TIME SAMPLED:
DATE RECEIVED: 10/31/2022
TIME RECEIVED: 9:10 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OW-1						
CHLORIDE EPA 300.0	53	10	mg/L (PPM)	KC/TR	11/7/2022	WATER
CONDUCTIVITY SM2510-B	320	1.0	uS/cm@25C	TR	11/4/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO:
LOCATION: BAGLEY 23

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 103122-4
GTA SAMPLE NO: 2
DATE SAMPLED: 10/29/2022
TIME SAMPLED:
DATE RECEIVED: 10/31/2022
TIME RECEIVED: 9:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-2						
	CHLORIDE EPA 300.0	41	10	mg/L (PPM)	KC/TR	11/7/2022	WATER
	CONDUCTIVITY SM2510-B	530	1.0	uS/cm@25C	TR	11/4/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

