

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 4268
GTA ProjNo: 082919-2

Site Addr: MAREK PARCELS

Sampled By: J. ROSSI/COMPLIANCE
Date Rec: 8/29/2019
Time Rec: 9:10 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	B-29 0-6"	8/28/2019		SOIL
2	B-30 0-6"	8/28/2019		SOIL
3	B-31 0-6"	8/28/2019		SOIL
4	B-32 0-6"	8/28/2019		SOIL
5	B-33 0-6"	8/28/2019		SOIL
6	B-34 0-6"	8/28/2019		SOIL
7	B-35 0-6"	8/28/2019		SOIL
8	B-36 0-6"	8/28/2019		SOIL
9	B-37 0-6"	8/28/2019		SOIL
10	B-38 0-6"	8/28/2019		SOIL
11	B-39 0-6"	8/28/2019		SOIL
12	B-40 0-6"	8/28/2019		SOIL
13	B-15 1'	8/28/2019		SOIL
14	B-17 1'	8/28/2019		SOIL
15	B-23 1'	8/28/2019		SOIL
16	B-41 1'	8/28/2019		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4268
LOCATION: MAREK PARCELS

MI
SAMPLED BY: J. ROSSI/COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082919-2 - 9
DATE SAMPLED: 8/28/2019
TIME SAMPLED:

DATE RECEIVED: 8/29/2019
TIME RECEIVED: 9:10 AM
SAMPLE ID: B-37 0-6"

PCB EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
AROCLOR 1016	ND	330	ug/Kg (PPB)	KC/TR	9/4/2019	9/5/2019	EPA 3550B
AROCLOR 1221	ND	330					
AROCLOR 1232	ND	330					
AROCLOR 1242	ND	330					
AROCLOR 1248	ND	330					
AROCLOR 1254	ND	330					
AROCLOR 1260	410	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4268
LOCATION: MAREK PARCELS

MI
SAMPLED BY: J. ROSSI/COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082919-2 - 10
DATE SAMPLED: 8/28/2019
TIME SAMPLED:

DATE RECEIVED: 8/29/2019
TIME RECEIVED: 9:10 AM
SAMPLE ID: B-38 0-6"

PCB EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
AROCLOR 1016	ND	330	ug/Kg (PPB)	KC/TR	9/4/2019	9/5/2019	EPA 3550B
AROCLOR 1221	ND	330					
AROCLOR 1232	ND	330					
AROCLOR 1242	ND	330					
AROCLOR 1248	ND	330					
AROCLOR 1254	ND	330					
AROCLOR 1260	680	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT
ND = NOT DETECTED
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-29 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 1

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

460

LOD

0.32

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-30 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 2

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

610

LOD

0.34

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-31 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 3

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

770

LOD

0.33

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-32 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 4

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	3.8	0.27	mg/Kg (PPM)	MR/TR	9/6/2019	EPA 3050B
LEAD TOTAL EPA 6020A	370	0.27	mg/Kg (PPM)	MR/TR	9/6/2019	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-33 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 5

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS

Analysis

LEAD TOTAL EPA 6020A

Concentration

350

LOD

0.34

Units

mg/Kg (PPM)

Analyst

MR/TR

Date Completed

9/6/2019

Digestion Method

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-34 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 6

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

440

LOD

0.33

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-35 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 7

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	7.0	0.34	mg/Kg (PPM)	MR/TR	9/6/2019	EPA 3050B
LEAD TOTAL EPA 6020A	900	0.34	mg/Kg (PPM)	MR/TR	9/6/2019	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-36 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 8

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

160

LOD

0.37

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-37 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 9

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

300

LOD

0.34

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-38 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 10

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

1,700

LOD

0.36

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-39 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 11

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

420

LOD

0.34

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-40 0-6"

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 12

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

55

LOD

0.37

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-15 1'

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 13

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

3.3

LOD

0.30

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-17 1'

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 14

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

2.6

LOD

0.38

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-23 1'

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 15

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS**Analysis**

LEAD TOTAL EPA 6020A

Concentration

30

LOD

0.42

Units

mg/Kg (PPM)

Analyst

MR/TR

**Date
Completed**

9/6/2019

**Digestion
Method**

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCELS

SAMPLED BY: MI

J. ROSSI/COMPLIANCE

SAMPLE ID: B-41 1'

GTA PROJECT NO: 082919-2

GTA SAMPLE NO: 16

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

SAMPLE MATRIX: SOIL

METALS

Analysis

LEAD TOTAL EPA 6020A

Concentration

4.8

LOD

0.30

Units

mg/Kg (PPM)

Analyst

MR/TR

Date Completed

9/6/2019

Digestion Method

EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 082919-2

NAME:

SAMPLED BY: J. ROSSI/COMPLIANCE

PROJECT NO: 4268

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

LOCATION: MAREK PARCELS

SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

MI

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: B-29 0-6"	% MOISTURE EPA 3550C	6.5	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-30 0-6"	% MOISTURE EPA 3550C	7.7	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-31 0-6"	% MOISTURE EPA 3550C	7.4	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-32 0-6"	% MOISTURE EPA 3550C	5.4	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-33 0-6"	% MOISTURE EPA 3550C	4.6	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-34 0-6"	% MOISTURE EPA 3550C	5.9	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-35 0-6"	% MOISTURE EPA 3550C	8.4	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-36 0-6"	% MOISTURE EPA 3550C	4.8	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-37 0-6"	% MOISTURE EPA 3550C	7.8	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-38 0-6"	% MOISTURE EPA 3550C	7.1	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-39 0-6"	% MOISTURE EPA 3550C	6.8	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-40 0-6"	% MOISTURE EPA 3550C	17	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-15 1'	% MOISTURE EPA 3550C	7.8	0.050	% OF SAMPLE	TR	8/29/2019
SAMPLE ID: B-17 1'	% MOISTURE EPA 3550C	14	0.050	% OF SAMPLE	TR	8/29/2019

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:

PROJECT NO: 4268

LOCATION: MAREK PARCELS

MI

GTA PROJECT NO: 082919-2

SAMPLED BY: J. ROSSI/COMPLIANCE

DATE SAMPLED: 8/28/2019

TIME SAMPLED:

SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/29/2019

TIME RECEIVED: 9:10 AM

MOISTURE**No: Analysis**

SAMPLE ID: B-23 1'

% MOISTURE EPA 3550C

SAMPLE ID: B-41 1'

% MOISTURE EPA 3550C

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Complete</u>
14	0.050	% OF SAMPLE	TR	8/29/2019
7.6	0.050	% OF SAMPLE	TR	8/29/2019

CHAIN OF CUSTODY

PROJECT NUMBER 4268	SITE NAME/ADDRESS Marek Parcels	COMPANY/NAME Compliance
SAMPLED BY J. Rossi	COMPANY	GTA PROJECT # 082919-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	B-29 0-6"	8-28-19		Soil	Lead
2	B-30 0-6"				"
3	B-31 0-6"				"
4	B-32 0-6"				" , As
5	B-33 0-6"				"
6	B-34 0-6"				"
7	B-35 0-6"				" , As
8	B-36 0-6"				"
9	B-37 0-6"				" PCBs
10	B-38 0-6"				" PCBs
11	B-39 0-6"				"
12	B-40 0-6"				"
13	B-15 1'				"
14	B-17 1'				"
15	B-23 1'				"
16	B-41 1'				"

BILL TO:

Compliance

REPORT TO:

Jim Rossi

RELEASED BY Jim Rossi	DATE/TIME 8-29-19 9:10 am	RECEIVED BY Steve D...	DATE/TIME 8-29-19 9:10 am

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS